

References

1. Aarts, E.: Boltzmann machines for travelling salesman problems. *European Journal of Operational Research* (1989)
2. Ackley, D., Hinton, G., Sejnowski, T.: A learning algorithm for boltzmann machines. *Cognitive Science* (1985)
3. Adler, I., Bui-Xuan, B.-M., Rabinovich, Y., Renault, G., Telle, J.A., Vatschelle, M.: On the Boolean-Width of a Graph: Structure and Applications. In: Thilikos, D.M. (ed.) *WG 2010. LNCS*, vol. 6410, pp. 159–170. Springer, Heidelberg (2010)
4. Adra, S., Hamody, A., Griffin, I., Fleming, P.: A hybrid multi-objective evolutionary algorithm using an inverse neural network for aircraft control system design. In: [116], pp. 1–8 (2005)
5. Ahammed, F., Moscato, P.: Evolving L-systems as an intelligent design approach to find classes of difficult-to-solve traveling salesman problem instances. In: Di Chio, C. (ed.) *EvoApplications 2011, Part I. LNCS*, vol. 6624, pp. 1–11. Springer, Heidelberg (2011)
6. Aickelin, U., Burke, E.K., Li, J.: An estimation of distribution algorithm with intelligent local search for rule-based nurse rostering. *Journal of the Operational Research Society* 58, 1574–1585 (2007)
7. Alabau, M., Idoumghar, L., Schott, R.: New hybrid genetic algorithms for the frequency assignment problem. In: *International Conference on Tools with Artificial Intelligence*, pp. 136–142. IEEE Press, Los Alamitos (2001)
8. Alabau, M., Idoumghar, L., Schott, R.: New hybrid genetic algorithms for the frequency assignment problem. *IEEE Transactions on Broadcasting* 48(1), 27–34 (2002)
9. Ali, W., Topchy, A.P.: Memetic optimization of video chain designs. In: [201], pp. 869–882 (2004)
10. Alidaee, B., Kochenberger, B.G., Ahmadian, A.: 0–1 Quadratic Programming Approach for the Optimal Solution of Two Scheduling Problems. *International Journal of Systems Science* 25, 401–408 (1994)
11. Alkhamis, T., Hasan, M., Ahmed, M.: A Simulated Annealing for the Unconstrained Quadratic Pseudo-Boolean Function. *European Journal of Operational Research* 108, 641–652 (1998)
12. Allen, B.L., Steel, M.: Subtree transfer operations and their induced metrics on evolutionary trees. *Annals of Combinatorics* 5(1), 1–15 (2001)
13. Alon, U.: *An Introduction to Systems Biology – Design Principles of Biological Circuits. Mathematical and Computational Biology Series*, vol. 10. Chapman & Hall/Crc (2006)

14. Altenberg, L.: Fitness Distance Correlation Analysis: An Instructive Counterexample. In: [33], pp. 57–64 (1997)
15. Althaus, E., Klau, G.W., Kohlbacher, O., Lenhof, H.-P., Reinert, K.: Integer linear programming in computational biology. In: Albers, S., Alt, H., Näher, S. (eds.) *Efficient Algorithms*. LNCS, vol. 5760, pp. 199–218. Springer, Heidelberg (2009)
16. Amaldi, E.: On the complexity of training perceptrons. In: Kohonen, T., Mäkisara, K., Simula, O., Kangas, J. (eds.) *Artificial Neural Networks*, pp. 55–60. Elsevier science publishers B.V, Amsterdam (1991)
17. Amaldi, E., Nicolis, S.: Stability-capacity diagram of a neural network with ising bonds. *Journal de Physique* (1989)
18. Amini, M.M., Alidaee, B., Kochenberger, G.A.: A Scatter Search Approach to Unconstrained Quadratic Binary Programs. In: [145], pp. 317–329 (1999)
19. Andreatta, A., Ribeiro, C.: Heuristics for the phylogeny problem. *Journal of Heuristics* 8, 429–447 (2002)
20. Angel, E., Zissimopoulos, V.: Autocorrelation Coefficient for the Graph Bipartitioning Problem. *Theoretical Computer Science* 191, 229–243 (1998)
21. Angel, E., Bampis, E., Gourves, L.: A dynasearch neighborhood for the bicriteria traveling salesman problem. In: Gandibleux, X., et al. (eds.) *Metaheuristics for Multiobjective Optimisation*. Lecture Notes in Economics and Mathematical Systems, vol. 535, pp. 153–176. Springer, Heidelberg (2004)
22. Angeline, P.: Adaptive and self-adaptive evolutionary computations. In: *Computational Intelligence*, pp. 152–161. IEEE Press, Los Alamitos (1995)
23. Antoun, G., El-Nozahi, M., Fikry, W., Abbas, H.: A hybrid genetic algorithm for MOS-FET parameter extraction. In: *IEEE Canadian Conference on Electrical and Computer Engineering*, vol. 2, pp. 1111–1114. IEEE Press, Los Alamitos (2003)
24. Applegate, D., Bixby, R., Chvátal, V., Cook, B.: Finding Cuts in the TSP (A preliminary report). Technical Report 95-05, DIMACS (1995)
25. Applegate, D., Bixby, R., Chvátal, V., Cook, W.: Finding Tours in the TSP. Tech. Rep. Report Number 99885, Research Institute for Discrete Mathematics, University of Bonn, Germany (1999)
26. Applegate, D., Cook, W., Rohe, A.: Chained Lin-Kernighan for Large Traveling Salesman Problems. *INFORMS Journal on Computing* 15(1), 82–92 (2003)
27. Arora, S.: Polynomial Time Approximation Schemes for Euclidean Traveling Salesman and Other Geometric Problems. *Journal of the ACM* 45(5), 753–782 (1998)
28. Auger, A., Hansen, N.: A restart CMA evolution strategy with increasing population size. In: [116], pp. 769–1776 (2005)
29. Baba, N.: A hybrid algorithm for finding a global minimum. *International Journal of Control* 37(5), 930–942 (1983)
30. Babu, B., Chakole, P., Mubeen, J.H.S.: Multiobjective differential evolution (MODE) for optimization of adiabatic styrene reactor. *Chemical Engineering Science* 60(17), 4822–4837 (2005)
31. Bäck, T.: Self adaptation in genetic algorithms. In: Varela, F., Bourgine, P. (eds.) *Toward a Practice of Autonomous Systems: Proceedings of the 1st European Conference on Artificial Life*, pp. 263–271. MIT Press, Cambridge (1992)
32. Bäck, T.: *Evolutionary Algorithms in Theory and Practice*. Oxford University Press, New York (1996)
33. Bäck, T. (ed.): *Seventh International Conference on Genetic Algorithms*. Morgan Kaufmann, San Mateo (1997)

34. Bäck, T., Hoffmeister, F.: Adaptive search by evolutionary algorithms. In: Ebeling, W., Peschel, M., Weidlich, W. (eds.) *Models of Self-organization in Complex Systems. Mathematical Research*, vol. 64, pp. 17–21. Akademie-Verlag (1991)
35. Bäck, T., Fogel, D.B., Michalewicz, Z.: *Handbook of evolutionary computation*. Springer, Heidelberg (1989)
36. Bäck, T., Fogel, D., Michalewicz, Z.: *Evolutionary Computation 1: Basic Algorithms and Operators*. Institute of Physics Publishing (2000)
37. Bäck, T., Fogel, D., Michalewicz, Z.: *Evolutionary Computation 2: Advanced Algorithms and Operators*. Institute of Physics Publishing (2000)
38. Baicher, G., Turton, B.: Comparative study for optimisation of causal IIR perfect reconstruction filter banks. In: [112], pp. 974–977 (2000)
39. Balas, E., Simonetti, N.: Linear Time Dynamic-Programming Algorithms for New Classes of Restricted TSPs: A Computational Study. *INFORMS Journal on Computing* 13(1), 56–75 (2000)
40. Bambha, N.K., Bhattacharyya, S.S., Teich, J., Zitzler, E.: Systematic integration of parameterized local search into evolutionary algorithms. *IEEE Transactions on Evolutionary Computation* 8(2), 137–155 (2004)
41. Banzhaf, W., Nordin, P., Keller, R., Francone, F.: *Genetic Programming: An Introduction*. Morgan Kaufmann, San Francisco (1998)
42. Banzhaf, W., et al. (eds.): *Genetic and Evolutionary Computation Conference – GECCO 1999*. Morgan Kaufmann, Orlando (1999)
43. Bärecke, T., Detyniecki, M.: Memetic algorithms for inexact graph matching. In: [118], pp. 4238–4245 (2007)
44. Barkat Ullah, A.S.S.M., Sarker, R., Cornforth, D., Lokan, C.: AMA: A new approach for solving constrained real-valued optimization problems. *Soft Computing* 13(8-9), 741–762 (2009)
45. Barkat Ullah, A.S.S.M., Sarker, R., Lokan, C.: An agent-based memetic algorithm (AMA) for nonlinear optimization with equality constraints. In: [120], pp. 70–77 (2009)
46. Barr, A., Feigenbaum, E.: *Handbook of Artificial Intelligence*. Morgan Kaufmann, New York (1981)
47. Bartz-Beielstein, T.: *Experimental Research in Evolutionary Computation—The New Experimentalism*. Natural Computing Series. Springer, Heidelberg (2006)
48. Bartz-Beielstein, T., Markon, S.: Tuning search algorithms for real-world applications: A regression tree based approach. Tech. Rep. CI-172/04, Collaborative Research Centre 531, University of Dortmund, Germany (2004)
49. Bartz-Beielstein, T., Lasarczyk, C., Preuß, M.: Sequential parameter optimization. In: [116], pp. 773–780 (2005)
50. Basseur, M.: Design of cooperative algorithms for multi-objective optimization: application to the flow-shop scheduling problem. *4OR: A Quarterly Journal of Operations Research* 4(3), 255–258 (2006)
51. Batenburg, K.: An evolutionary algorithm for discrete tomography. *Discrete Applied Mathematics* 151(1–3), 36–54 (2005)
52. Battiti, R., Amaldi, E., Koch, C.: Computing optical flow across multiple scales: an adaptive coarse-to-fine strategy. *International Journal of Computer Vision* (1991)
53. Bazzoli, A., Tettamanzi, A.G.B.: A memetic algorithm for protein structure prediction in a 3D-lattice HP model. In: Raidl, G.R., Cagnoni, S., Branke, J., Corne, D.W., Drechsler, R., Jin, Y., Johnson, C.G., Machado, P., Marchiori, E., Rothlauf, F., Smith, G.D., Squillero, G. (eds.) *EvoWorkshops 2004. LNCS*, vol. 3005, pp. 1–10. Springer, Heidelberg (2004)

54. Beasley, J.E.: OR-Library: Distributing Test Problems by Electronic Mail. *Journal of the Operational Research Society* 41(11), 1069–1072 (1990)
55. Beasley, J.E.: *Heuristic Algorithms for the Unconstrained Binary Quadratic Programming Problem*. Tech. rep., Management School, Imperial College, London, UK (1998)
56. Belew, R.K., Booker, L.B. (eds.): *Fourth International Conference on Genetic Algorithms*. Morgan Kaufmann, San Diego (1991)
57. Bellman, R.: *Dynamic Programming*. Princeton University Press, Princeton (1957)
58. Belmonte, R., Vatshelle, M.: On graph classes with logarithmic boolean-width. *CoRR abs/1009.0216* (2010)
59. Bentley, J.: Experiments on traveling salesman heuristics. In: *Proceedings of the 1st Annual ACM-SIAM Symposium on Discrete Algorithms*, pp. 91–99 (1990)
60. Berretta, R., Moscato, P.: The number partitioning problem: An open challenge for evolutionary computation? In: [145], pp. 261–278 (1999)
61. Berretta, R., Rodrigues, L.F.: A memetic algorithm for a multistage capacitated lot-sizing problem. *International Journal of Production Economics* 87(1), 67–81 (2004)
62. Berretta, R., Cotta, C., Moscato, P.: Enhancing the performance of memetic algorithms by using a matching-based recombination algorithm: Results on the number partitioning problem. In: Resende, M., Pinho de Sousa, J. (eds.) *Metaheuristics: Computer-Decision Making*, pp. 65–90. Kluwer Academic Publishers, Boston (2003)
63. Berretta, R., Costa, W., Moscato, P.: Combinatorial optimization models for finding genetic signatures from gene expression datasets. In: Keith, J.M. (ed.) *Bioinformatics, Volume II: Structure, Function and Applications, Methods in Molecular Biology*, ch. 19, pp. 363–378. Humana Press (2008)
64. Beume, N., Naujoks, B., Emmerich, M.: SMS-EMOA: Multiobjective selection based on dominated hypervolume. *European Journal of Operational Research* 181(3), 1653–1669 (2007)
65. Beyer, H.G.: *The Theory of Evolution Strategies*. Springer, Heidelberg (2001)
66. Binder, K., Young, A.: Spin glasses: Experimental facts, theoretical concepts, and open questions. *Reviews of Modern Physics* (1986)
67. Birattari, M., Yuan, Z., Balaprakash, P., Stützle, T.: F-race and iterated f-race: An overview. In: Bartz-Beielstein, T. (ed.) *Empirical Methods for the Analysis of Optimization Algorithms, Natural Computing*, pp. 311–336. Springer, Heidelberg (2010)
68. Bishop, C.M.: *Neural Networks for Pattern Recognition*. Oxford University Press, Oxford (1995)
69. Blesa, M.J., Blum, C., Cotta, C., Fernández, A.J., Gallardo, J.E., Roli, A., Sampels, M. (eds.): *HM 2008. LNCS*, vol. 5296. Springer, Heidelberg (2008)
70. Blum, C., Cotta, C., Fernández, A.J., Gallardo, J.E.: A probabilistic beam search approach to the shortest common supersequence problem. In: Cotta, C., van Hemert, J. (eds.) *EvoCOP 2007. LNCS*, vol. 4446, pp. 36–47. Springer, Heidelberg (2007)
71. Bodlaender, H.L.: Some classes of graphs with bounded treewidth. *Bulletin of the EATCS* 36, 116–125 (1988)
72. Bodlaender, H.L.: On reduction algorithms for graphs with small treewidth. In: Leeuwen, J. (ed.) *WG 1993. LNCS*, vol. 790, pp. 45–56. Springer, Heidelberg (1994)
73. Bodlaender, H.L.: Improved self-reduction algorithms for graphs with bounded treewidth. *Discrete Applied Mathematics* 54(2-3), 101–115 (1994)
74. Bodlaender, H.L., Kloks, T.: Efficient and constructive algorithms for the pathwidth and treewidth of graphs. *Journal of Algorithms* 21(2), 358–402 (1996)
75. Boese, K.: *Cost versus Distance in the Traveling Salesman Problem*. Tech. Rep. TR-950018, UCLA Computer Science Department, Los Angeles, CA (1995)

76. Boese, K., Kahng, A.B., Muddu, S.: A new adaptive multi-start technique for combinatorial global optimization. *Operations Research Letters* 16(2), 101–113 (1994)
77. Boettcher, S., Percus, A.G.: Extremal optimization: Methods derived from co-evolution. In: [42], pp. 825–832 (1999)
78. Booker, A.J., Dennis, J.E., Frank, P.D., Serafini, D.B., Torczon, V., Trosset, M.W.: A rigorous framework for optimization of expensive functions by surrogates. *Structural Optimization* 17(1), 1–13 (1999)
79. Boudia, M., Prins, C.: A memetic algorithm with dynamic population management for an integrated production-distribution problem. *European Journal of Operational Research* 195(3), 703–715 (2009)
80. Boudia, M., Prins, C., Reghioui, M.: An effective memetic algorithm with population management for the split delivery vehicle routing problem. In: Bartz-Beielstein, T., Blesa Aguilera, M.J., Blum, C., Naujoks, B., Roli, A., Rudolph, G., Sampels, M. (eds.) *HCI/ICCV 2007. LNCS*, vol. 4771, pp. 16–30. Springer, Heidelberg (2007)
81. Brady, R.M.: Optimization Strategies Gleaned from Biological Evolution. *Nature* 317, 804–806 (1985)
82. Branke, J.: Memory enhanced evolutionary algorithms. In: [111], pp. 1875–1882 (1999)
83. Branke, J., Middendorf, M., Schneider, F.: Improved heuristics and a genetic algorithm for finding short supersequences. *OR-Spektrum* 20, 39–45 (1998)
84. Branke, J., Deb, K., Miettinen, K., Slowiński, R. (eds.): *Multiobjective Optimization, Interactive and Evolutionary Approaches. LNCS*, vol. 5252. Springer, Heidelberg (2008)
85. Buhmann, M.D.: *Radial Basis Functions Theory and Implementations. Cambridge Monographs on Applied and Computational Mathematics*, vol. 12. Cambridge University Press, Cambridge (2003)
86. Bui, T.G., Moon, B.R.: A New Genetic Approach for the Traveling Salesman Problem. In: *Proceedings of the First IEEE Conference on Evolutionary Computation*, pp. 7–12. IEEE Press, Los Alamitos (1994)
87. Bui, T.N., Moon, B.R.: GRCA: a hybrid genetic algorithm for circuit ratio-cut partitioning. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems* 17(3), 193–204 (1998)
88. Bui-Xuan, B.M., Telle, J.A., Vatshelle, M.: Feedback vertex set on graphs of low cliquewidth. In: Fiala, J., Kratochvíl, J., Miller, M. (eds.) *IWOCA 2009. LNCS*, vol. 5874, pp. 113–124. Springer, Heidelberg (2009)
89. Bui-Xuan, B.M., Telle, J.A., Vatshelle, M.: H-join decomposable graphs and algorithms with runtime single exponential in rankwidth. *Discrete Applied Mathematics* 158(7), 809–819 (2010)
90. Bull, L.: *Artificial symbiology. PhD thesis, University of the West of England* (1995)
91. Bull, L.: Evolutionary computing in multi agent environments: Partners. In: [33], pp. 370–377 (1997)
92. Bull, L., Fogarty, T.: Horizontal gene transfer in endosymbiosis. In: Langton, C., Shimohara, K. (eds.) *Proceedings of the 5th International Workshop on Artificial Life: Synthesis and Simulation of Living Systems (ALIFE 1996)*, pp. 77–84. MIT Press, Cambridge (1997)
93. Bull, L., Holland, O., Blackmore, S.: On meme-gene coevolution. *Artificial Life* 6(3), 227–235 (2000)
94. Buriol, L., França, P., Moscato, P.: A new memetic algorithm for the asymmetric traveling salesman problem. *Journal of Heuristics* 10(5), 483–506 (2004)
95. Burke, E., Smith, A.: A multi-stage approach for the thermal generator maintenance scheduling problem. In: [111], pp. 1085–1092 (1999)

96. Burke, E., Smith, A.: Hybrid evolutionary techniques for the maintenance scheduling problem. *IEEE Transactions on Power Systems* 15(1), 122–128 (2000)
97. Burke, E., Kendall, G., Soubeiga, E.: A tabu search hyperheuristic for timetabling and rostering. *Journal of Heuristics* 9(6), 451–470 (2003)
98. Burke, E.K., De Causmaecker, P., De Maere, G., Mulder, J., Paelinck, M., Berghe, G.V.: A multi-objective approach for robust airline scheduling. *Computers and Operations Research* 37, 822–832 (2010)
99. Cadieux, S., Tanizaki, N., Okamura, T.: Time efficient and robust 3-D brain image centering and realignment using hybrid genetic algorithm. In: 36th SICE Annual Conference, pp. 1279–1284. IEEE Press, Los Alamitos (1997)
100. Cai, L., Chen, J.: On fixed-parameter tractability and approximability of NP-hard optimization problems. In: 2nd Israel Symposium on Theory of Computing and Systems, pp. 118–126. IEEE Comp. Soc. Press, Natanya (1993)
101. Cao, S., Zheng, J., Huang, W., Yang, G., Sun, Y., Wang, B.: Identification of strain hysteresis model for giant magnetostrictive actuators using a hybrid genetic algorithm. In: International Conference on Electrical Machines and Systems, vol. 3, pp. 2009–2012 (2005)
102. Cao, S., Wang, B., Zheng, J., Huang, W., Sun, Y., Yang, Q.: Modeling dynamic hysteresis for giant magnetostrictive actuator using hybrid genetic algorithm. *IEEE Transactions on Magnetics* 42(4), 911–914 (2006)
103. Caponio, A., Neri, F.: Integrating cross-dominance adaptation in multi-objective memetic algorithms. In: Goh, C., Ong, Y., Tan, K. (eds.) *Multi-Objective Memetic Algorithms. Studies in Computational Intelligence*, vol. 171, pp. 325–351. Springer, Heidelberg (2009)
104. Caponio, A., Cascella, G.L., Neri, F., Salvatore, N., Sumner, M.: A fast adaptive memetic algorithm for on-line and off-line control design of PMSM drives. *IEEE Transactions on System Man and Cybernetics-part B, special issue on Memetic Algorithms* 37(1), 28–41 (2007)
105. Caponio, A., Neri, F., Cascella, G.L., Salvatore, N.: Application of memetic differential evolution frameworks to PMSM drive design. In: [119], pp. 2113–2120 (2008)
106. Caponio, A., Neri, F., Tirronen, V.: Super-fit control adaptation in memetic differential evolution frameworks. *Soft Computing* 13(8-9), 811–831 (2009)
107. Carr, R., Hart, W., Krasnogor, N., Hirst, J., Burke, E.: Alignment of protein structures with a memetic evolutionary algorithm. In: [504], pp. 1027–1034 (2002)
108. Carrano, E.G., Souza, B.B., Neto, O.M., Takahashi, R.H.C.: An immune inspired memetic algorithm for power distribution system design under load evolution uncertainties. In: [119], pp. 3252–3258 (2008)
109. Carrizo, J., Tinetti, F., Moscato, P.: A computational ecology for the quadratic assignment problem. In: Proceedings of the 21st Meeting on Informatics and Operations Research, SADIO, Buenos Aires (1992)
110. Cattolico, M. (ed.): *Genetic and Evolutionary Computation Conference – GECCO 2006*. ACM Press, Seattle (2006)
111. CEC, IEEE Congress on Evolutionary Computation 1999, IEEE Press, Washington DC (1999)
112. CEC, IEEE Congress on Evolutionary Computation 2000, IEEE Press, San Diego (2000)
113. CEC, IEEE Congress on Evolutionary Computation 2002, IEEE Press, Honolulu (2002)
114. CEC, IEEE Congress on Evolutionary Computation 2003, IEEE Press, Canberra (2003)
115. CEC, IEEE Congress on Evolutionary Computation 2004, IEEE Press, Portland (2004)

116. CEC, IEEE Congress on Evolutionary Computation 2005, IEEE Press, Edinburgh (2005)
117. CEC, IEEE Congress on Evolutionary Computation 2006, IEEE Press, Vancouver (2006)
118. CEC, IEEE Congress on Evolutionary Computation 2007, IEEE Press, Singapore (2007)
119. CEC, IEEE Congress on Evolutionary Computation 2008, IEEE Press, Hong Kong (2008)
120. CEC, IEEE Congress on Evolutionary Computation 2009, IEEE Press, Trondheim (2009)
121. CEC, IEEE Congress on Evolutionary Computation 2010, IEEE Press, Barcelona (2010)
122. Cerny, V.: A thermodynamical approach to the traveling salesman problem. *Journal of Optimization, theory and Application* 45(1), 41–51 (1985)
123. Chelouah, R., Siarry, P.: Genetic and Nelder–Mead algorithms hybridized for a more accurate global optimization of continuous multim minima functions. *European Journal of Operational Research* 148(2), 335–348 (2003)
124. Chen, J.H., Chen, J.H.: Multi-objective memetic approach for flexible process sequencing problems. In: [784], pp. 2123–2128 (2008)
125. Cheng, H.C., Chiang, T.C., Fu, L.C.: Multiobjective job shop scheduling using memetic algorithm and shifting bottleneck procedure. In: *IEEE Symposium on Intelligence in Scheduling*, pp. 15–21. IEEE Press, Los Alamitos (2009)
126. Chootinan, P., Chen, A.: Constraint handling in genetic algorithms using a gradient-based repair method. *Computers & Operations Research* 33(8), 2263–2281 (2006)
127. Chu, P.C., Beasley, J.E.: A genetic algorithm for the multidimensional knapsack problem. *Journal of Heuristics* 4, 63–86 (1998)
128. Clark, D., Westhead, D.: Evolutionary algorithms in computer-aided molecular design. *Journal of Computer-aided Molecular Design* 10(4), 337–358 (1996)
129. Clerc, M., Kennedy, J.: The particle swarm-explosion, stability and convergence in a multidimensional complex space. *IEEE Transactions on Evolutionary Computation* 6(1), 58–73 (2002)
130. Cobb, H., Grefenstette, J.: Genetic algorithms for tracking changing environments. In: Forrest, S. (ed.) *ICGA 1993*, pp. 529–530. Morgan Kaufmann, San Mateo (1993)
131. Coello Coello, C., Van Veldhuizen, D.A., Lamont, G.: *Evolutionary Algorithms for Solving Multi-Objective Problems*. Kluwer Academic Publishers, Dordrecht (2002)
132. Coello Coello, C.A.: A comprehensive survey of evolutionary-based multiobjective optimization techniques. *Knowledge and Information Systems* 1, 269–308 (1998)
133. Coello Coello, C.A.: Constraint-handling using an evolutionary multiobjective optimization technique. *Civil engineering and environmental systems* 17(4), 319–346 (2000)
134. Coello Coello, C.A., Pulido, G.T., Lechuga, M.: Handling multiple objectives with particle swarm optimization. *IEEE Transactions on Evolutionary Computation* 8(3), 256–279 (2004)
135. Coello Coello, C.A., Hernández Aguirre, A., Zitzler, E. (eds.): *EMO 2005*. LNCS, vol. 3410. Springer, Heidelberg (2005)
136. Coll, P., Durán, G., Moscato, P.: On worst-case and comparative analysis as design principles for efficient recombination operators: A graph coloring case study. In: [145], pp. 279–294 (1999)
137. Collet, P., Fonlupt, C., Hao, J.-K., Lutton, E., Schoenauer, M. (eds.): *EA 2001*. LNCS, vol. 2310. Springer, Heidelberg (2002)

138. Congram, R.: Polynomially searchable exponential neighbourhoods for sequencing problems in combinatorial optimisation. PhD thesis. University of Southampton, Faculty of Mathematical Studies (2000)
139. Congram, R., Potts, C., van de Velde, S.: An iterated dynasearch algorithm for the single-machine total weighted tardiness scheduling problem. *INFORMS Journal on Computing* 14(1), 52–67 (2002)
140. Conn, A.R., Scheinberg, K., Toint, P.L.: On the convergence of derivative-free methods for unconstrained optimization. In: Iserles, A., Buhmann, M.D. (eds.) *Approximation Theory and Optimization: Tributes to M.J.D. Powell*, pp. 83–108. Cambridge University Press, Cambridge (1997)
141. Conn, A.R., Scheinberg, K., Toint, P.L.: Recent progress in unconstrained nonlinear optimization without derivatives. *Mathematical Programming* 79, 397–414 (1997)
142. Conn, A.R., Gould, N., Toint, P.L.: *Trust-Region Methods*. SIAM, Philadelphia (2000)
143. Cook, W., Seymour, P.D.: Tour merging via branch-decomposition. *INFORMS Journal on Computing* 15(3), 233–248 (2003)
144. Cordón, O., Damas, S., Santamaría, J., Martí, R.: Scatter search for the 3D point matching problem in image registration. *INFORMS Journal on Computing* 20(1), 55–68 (2008)
145. Corne, D., Dorigo, M., Glover, F. (eds.): *New Ideas in Optimization*. McGraw-Hill, Maidenhead (1999)
146. Costa, D.: An evolutionary tabu search algorithm and the NHL scheduling problem. *INFOR* 33(3), 161–178 (1995)
147. Cotta, C.: A study of hybridisation techniques and their application to the design of evolutionary algorithms. *AI Communications* 11(3-4), 223–224 (1998)
148. Cotta, C.: Protein structure prediction using evolutionary algorithms hybridized with backtracking. In: Mira, J., Álvarez, J.R. (eds.) *IWANN 2003*. LNCS, vol. 2687, pp. 321–328. Springer, Heidelberg (2003)
149. Cotta, C.: A comparison of evolutionary approaches to the shortest common super-sequence problem. In: Cabestany, J., Prieto, A.G., Sandoval, F. (eds.) *IWANN 2005*. LNCS, vol. 3512, pp. 50–58. Springer, Heidelberg (2005)
150. Cotta, C.: Hybrid evolutionary algorithms for protein structure prediction in the HPNX model. In: *Computational Intelligence, Theory and Applications. Advances in Soft Computing*, vol. 2, pp. 525–534. Springer, Heidelberg (2005)
151. Cotta, C.: Memetic algorithms with partial lamarckism for the shortest common super-sequence problem. In: [602], pp. 84–91 (2005)
152. Cotta, C.: On the Application of Evolutionary Algorithms to the Consensus Tree Problem. In: Raidl, G.R., Gottlieb, J. (eds.) *EvoCOP 2005*. LNCS, vol. 3448, pp. 58–67. Springer, Heidelberg (2005)
153. Cotta, C.: Scatter search with path relinking for phylogenetic inference. *European Journal of Operational Research* 169(2), 520–532 (2005)
154. Cotta, C., Fernández, A.: Memetic algorithms in planning, scheduling, and timetabling. In: Dahal, K., Tan, K., Cowling, P. (eds.) *Evolutionary Scheduling. Studies in Computational Intelligence*, vol. 49, pp. 1–30. Springer, Heidelberg (2007)
155. Cotta, C., Moscato, P.: Inferring phylogenetic trees using evolutionary algorithms. In: [580], pp. 720–729 (2002)
156. Cotta, C., Moscato, P.: The k -feature set problem is W[2]-complete. *Journal of Computer and Systems Science* 67(4), 686–690 (2003)
157. Cotta, C., Moscato, P.: A memetic-aided approach to hierarchical clustering from distance matrices: Application to phylogeny and gene expression clustering. *Biosystems* 72(1-2), 75–97 (2003)

158. Cotta, C., Moscato, P.: Evolutionary computation: Challenges and duties. In: Menon, A. (ed.) *Frontiers of Evolutionary Computation*, pp. 53–72. Kluwer Academic Press, Boston (2004)
159. Cotta, C., Moscato, P.: The parameterized complexity of multiparent recombination. In: *Proceedings of MIC 2005 - The 6th Metaheuristics International Conference*, Vienna, Austria, pp. 237–242 (2005)
160. Cotta, C., Troya, J.: A hybrid genetic algorithm for the 0-1 multiple knapsack problem. In: Smith, G., Steele, N., Albrecht, R. (eds.) *Artificial Neural Nets and Genetic Algorithms 3*, pp. 251–255. Springer, Wien (1998)
161. Cotta, C., Troya, J.: Optimal discrete recombination: Hybridising evolution strategies with the A* algorithm. In: Mira, J. (ed.) *IWANN 1999*. LNCS, vol. 1607, pp. 58–67. Springer, Heidelberg (1999)
162. Cotta, C., Troya, J.: On the influence of the representation granularity in heuristic forma recombination. In: Carroll, J., Damiani, E., Haddad, H., Oppenheim, D. (eds.) *ACM Symposium on Applied Computing 2000*, pp. 433–439. ACM Press, New York (2000)
163. Cotta, C., Troya, J.M.: Using a Hybrid Evolutionary-A* Approach for Learning Reactive Behaviours. In: Oates, M.J., Lanzi, P.L., Li, Y., Cagnoni, S., Corne, D.W., Fogarty, T.C., Poli, R., Smith, G.D. (eds.) *EvoIASP 2000, EvoWorkshops 2000, EvoFlight 2000, EvoSCONDI 2000, EvoSTIM 2000, EvoTEL 2000, and EvoROB/EvoRobot 2000*. LNCS, vol. 1803, pp. 347–356. Springer, Heidelberg (2000)
164. Cotta, C., Troya, J.: Embedding branch and bound within evolutionary algorithms. *Applied Intelligence* 18(2), 137–153 (2003)
165. Cotta, C., Aldana, J., Nebro, A., Troya, J.: Hybridizing genetic algorithms with branch and bound techniques for the resolution of the TSP. In: Pearson, D., Steele, N., Albrecht, R. (eds.) *Artificial Neural Nets and Genetic Algorithms 2*, pp. 277–280. Springer, Wien (1995)
166. Cotta, C., Alba, E., Troya, J.: Utilising dynastically optimal forma recombination in hybrid genetic algorithms. In: [240], pp. 305–314 (1998)
167. Cotta, C., Mendes, A., García, F., França, P., Moscato, P.: Applying memetic algorithms to the analysis of microarray data. In: Raidl, G.R., Cagnoni, S., Cardalda, J.J.R., Corne, D.W., Gottlieb, J., Guillot, A., Hart, E., Johnson, C.G., Marchiori, E., Meyer, J.-A., Middendorf, M. (eds.) *EvoIASP 2003, EvoWorkshops 2003, EvoSTIM 2003, EvoROB/EvoRobot 2003, EvoCOP 2003, EvoBIO 2003, and EvoMUSART 2003*. LNCS, vol. 2611, pp. 22–32. Springer, Heidelberg (2003)
168. Cotta, C., Sloper, C., Moscato, P.: Evolutionary search of thresholds for robust feature set selection: Application to the analysis of microarray data. In: Raidl, G.R., Cagnoni, S., Branke, J., Corne, D.W., Drechsler, R., Jin, Y., Johnson, C.G., Machado, P., Marchiori, E., Rothlauf, F., Smith, G.D., Squillero, G. (eds.) *EvoWorkshops 2004*. LNCS, vol. 3005, pp. 21–30. Springer, Heidelberg (2004)
169. Cowling, P.I., Kendall, G., Soubeiga, E.: A hyperheuristic approach to scheduling a sales summit. In: Burke, E., Erben, W. (eds.) *PATAT 2000*. LNCS, vol. 2079, pp. 176–190. Springer, Heidelberg (2001)
170. Cox, M., Bowden, N., Moscato, P., Berretta, R., Scott, R.I., Lechner-Scott, J.S.: Memetic algorithms as a new method to interpret gene expression profiles in multiple sclerosis. In: *Abstracts of the 23rd Congress of the European Committee for Treatment and Research in Multiple Sclerosis and the 12th Annual Conference of Rehabilitation in Multiple Sclerosis*, Prague, Czech Republic, vol. 13(suppl. 2), p. S205 (2007)
171. Créput, J.C., Koukam, A.: The memetic self-organizing map approach to the vehicle routing problem. *Journal of Soft Computing* 12, 1125–1141 (2008)

172. Cressie, N.A.C.: *Statistics for Spatial Data*. Wiley, Chichester (1993)
173. Crutchley, D., Zwolinski, M.: Using evolutionary and hybrid algorithms for dc operating point analysis of nonlinear circuits. In: [113], pp. 753–758 (2002)
174. da Silva Maximiano, M., Vega-Rodriguez, M.A., Gomez-Pulido, J., Sanchez-Perez, J.: A hybrid differential evolution algorithm to solve a real-world frequency assignment problem. In: *International Multiconference on Computer Science and Information Technology*, pp. 201–205 (2008)
175. Dahal, K., Burt, G., McDonald, J., Galloway, S.: GA/SA-based hybrid techniques for the scheduling of generator maintenance in power systems. In: [112], pp. 567–574 (2000)
176. Dai, J., Wu, G., Wu, Y., Zhu, G.: Helicopter trim research based on hybrid genetic algorithm. In: *World Congress on Intelligent Control and Automation*, pp. 2007–2011 (2008)
177. Dantas, M., da C Brito, L., de Carvalho, P.: Biobjective hybrid evolutionary algorithm applied to resonator filters of arbitrary topology. In: *IEEE International Conference on Electronics, Circuits and Systems*, pp. 296–299. IEEE Press, Los Alamitos (2006)
178. Dantas, M.J.P., da C. Brito, L., de Carvalho, P.H.P.: Multi-objective memetic algorithm applied to the automated synthesis of analog circuits. In: Sichman, J.S., Coelho, H., Rezende, S.O. (eds.) *IBERAMIA 2006 and SBIA 2006*. LNCS (LNAI), vol. 4140, pp. 258–267. Springer, Heidelberg (2006)
179. Dantzig, G.B., Fulkerson, D.R., Johnson, S.M.: Solution of a Large-Scale Traveling Salesman Problem. *Operations Research* 2, 393–410 (1954)
180. Das, S., Konar, A., Chakraborty, U.K.: Annealed differential evolution. In: [118], pp. 1926–1933 (2007)
181. David-Tabibi, O., Koppel, M., Netanyahu, N.S.: Genetic algorithms for automatic search tuning. *ICGA Journal* 33(2), 67–79 (2010)
182. Davidon, W.C.: Variable metric method for minimization. Tech. Rep. ANL-5990, Argonne National Laboratory (1959)
183. Davidor, Y.: Epistasis Variance: Suitability of a Representation to Genetic Algorithms. *Complex Systems* 4(4), 369–383 (1990)
184. Davidor, Y., Ben-Kiki, O.: The interplay among the genetic algorithm operators: Information theory tools used in a holistic way. In: [551], pp. 75–84 (1992)
185. Davidor, Y., Männer, R., Schwefel, H.-P. (eds.): *PPSN 1994*. LNCS, vol. 866. Springer, Heidelberg (1994)
186. Davies, D.L., Bouldin, D.W.: A cluster separation measure. *IEEE Transactions on In Pattern Analysis and Machine Intelligence PAMI-1*, 224–227 (1979)
187. Davies, S., Russell, S.: NP-completeness of searches for smallest possible feature sets. In: Greiner, R., Subramanian, D. (eds.) *AAAI Symposium on Intelligent Relevance*, pp. 41–43. AAAI Press, New Orleans (1994)
188. Davis, L.: *Handbook of Genetic Algorithms*. Van Nostrand Reinhold Computer Library, New York (1991)
189. Day, W.: The complexity of computing metric distances between partitions. *Mathematical Social Sciences* 1(1), 269–287 (1981)
190. Day, W.: Computationally difficult problems in phylogeny systematics. *Journal of Theoretic Biology* 103, 429–438 (1983)
191. Day, W.: Computational complexity of inferring phylogenies from dissimilarity matrices. *Bulletin of Mathematical Biology* 49(4), 461–467 (1987)
192. De Falco, I.: An introduction to evolutionary algorithms and their application to the aerofoil design problem—Part II: The Results. In: van den Braembussche, R., Manna, M. (eds.) *Inverse Design and Optimisation Methods*, Von Karman Institute for Fluid Dynamics (1997)

193. De Jong, K.: *Evolutionary Computation: A Unified Approach*. MIT Press, Cambridge (2006)
194. de Queiroz, L., Lyra, C.: A genetic approach for loss reduction in power distribution systems under variable demands. In: [117], pp. 2691–2698 (2006)
195. Deb, K.: An efficient constraint handling method for genetic algorithms. *Computer Methods in Applied Mechanics and Engineering* 186, 311–338 (2000)
196. Deb, K.: *Multi-objective Optimization using Evolutionary Algorithms*, pp. 147–149. John Wiley and Sons LTD, Chichester (2001)
197. Deb, K., Goel, T.: Controlled elitist non-dominated sorting genetic algorithms for better convergence. In: [971], pp. 67–81 (2001)
198. Deb, K., Goel, T.: A hybrid multi-objective evolutionary approach to engineering shape design. In: [971], pp. 385–399 (2001)
199. Deb, K., Agrawal, S., Pratap, A., Meyarivan, T.: A fast elitist non-dominated sorting genetic algorithm for multi-objective optimization: NSGA-II. In: [796], pp. 849–858 (2000)
200. Deb, K., Pratap, A., Agarwal, S., Meyarivan, T.: A fast and elitist multiobjective genetic algorithm: NSGA-II. *IEEE Transactions on Evolutionary Computation* 6(2), 182–197 (2002)
201. Deb, K., et al. (eds.): *GECCO 2004*. LNCS, vol. 3102. Springer, Heidelberg (2004)
202. Dechter, R.: Bucket elimination: A unifying framework for reasoning. *Artificial Intelligence* 113(1-2), 41–85 (1999)
203. DeGroot, M.H.: *Optimal Statistical Decisions*. McGraw-Hill Book Company, New York (1970)
204. DeJong, K.A.: *An analysis of the behavior of a class of genetic adaptive systems*. PhD thesis, University of Michigan, Ann Arbor, MI, USA (1975)
205. Delvecchio, G., Lofrumento, C., Neri, F., Sylos Labini, M.: A fast evolutionary-deterministic algorithm to study multimodal current fields under safety level constraints. *COMPEL: International Journal for Computation and Mathematics in Electrical and Electronic Engineering* 25(3), 599–608 (2006)
206. Demaine, E.D., Hajiaghayi, M.T.: Fast algorithms for hard graph problems: Bidimensionality, minors, and local treewidth. In: Pach, J. (ed.) *GD 2004*. LNCS, vol. 3383, pp. 517–533. Springer, Heidelberg (2005)
207. Demaine, E.D., Fomin, F.V., Hajiaghayi, M.T., Thilikos, D.M.: Bidimensional parameters and local treewidth. *SIAM J. Discrete Math.* 18(3), 501–511 (2004)
208. Dengiz, B., Altiparmak, F., Belgin, O.: A hybrid ant colony optimization approach for the design of reliable networks. In: [118], pp. 1118–1125 (2007)
209. Di Gaspero, L., Schaerf, A.: Neighborhood portfolio approach for local search applied to timetabling problems. *Journal of Mathematical Modeling and Algorithms* 5(1), 65–89 (2006)
210. Di Gesù, V., Lo Bosco, G., Millonzi, F., Valenti, C.: A memetic algorithm for binary image reconstruction. In: Brimkov, V.E., Barneva, R.P., Hauptman, H.A. (eds.) *IWCIA 2008*. LNCS, vol. 4958, pp. 384–395. Springer, Heidelberg (2008)
211. Di Gesù, V., Lo Bosco, G., Millonzi, F., Valenti, C.: Discrete tomography reconstruction through a new memetic algorithm. In: Giacobini, M., Brabazon, A., Cagnoni, S., Di Caro, G.A., Drechsler, R., Ekárt, A., Esparcia-Alcázar, A.I., Farooq, M., Fink, A., McCormack, J., O’Neill, M., Romero, J., Rothlauf, F., Squillero, G., Uyar, A.Ş., Yang, S. (eds.) *EvoWorkshops 2008*. LNCS, vol. 4974, pp. 347–352. Springer, Heidelberg (2008)
212. Dias, J., Captivo, M., Clímaco, J.: A memetic algorithm for multi-objective dynamic location problems. *Journal of Global Optimization* 42(2), 221–253 (2008)

213. Dill, K.: Dominant forces in protein folding. *Biochemistry* 29, 7133–7155 (1990)
214. Doerner, K., Gutjahr, W., Hartl, R., Strauss, C., Stummer, C.: Pareto ant colony optimization: A metaheuristic approach to multiobjective portfolio selection. *Annals of Operations Research* 131(1-4), 79–99 (2004)
215. Dorigo, M., Stützle, T.: *Ant Colony Optimization*. MIT Press, Cambridge (2004)
216. Dorn, F., Telle, J.A.: Semi-nice tree-decompositions: The best of branchwidth, treewidth and pathwidth with one algorithm. *Discrete Applied Mathematics* 157(12), 2737–2746 (2009)
217. Dorne, R., Hao, J.K.: A new genetic local search algorithm for graph coloring. In: [240], pp. 745–754 (1998)
218. Dorronsoro, B., Alba, E., Luque, G., Bouvry, P.: A self-adaptive cellular memetic algorithm for the dna fragment assembly problem. In: [119], pp. 2656–2663 (2008)
219. dos Santos Coelho, L., Rodrigues Coelho, A., Krohling, R.: Parameters tuning of multivariable controllers based on memetic algorithm: fundamentals and application. In: *IEEE International Symposium on Intelligent Control*, pp. 752–757. IEEE Press, Los Alamitos (2002)
220. Downey, R., Fellows, M.: Fixed parameter tractability and completeness III: Some structural aspects of the W-hierarchy. In: Ambos-Spies, K., Homer, S., Schöningh, U. (eds.) *Complexity Theory: Current Research*, pp. 166–191. Cambridge University Press, Cambridge (1993)
221. Downey, R., Fellows, M.: Fixed parameter tractability and completeness I: Basic theory. *SIAM Journal of Computing* 24, 873–921 (1995)
222. Downey, R., Fellows, M.: Fixed-parameter tractability and completeness II: On completeness for $W[1]$. *Theoretical Computer Science* 141(1-2), 109–131 (1995)
223. Downey, R., Fellows, M.: Parameterized computational feasibility. In: Clote, P., Remmel, J. (eds.) *Feasible Mathematics II*, pp. 219–244. Birkhäuser, Basel (1995)
224. Downey, R., McCartin, C.: Some new directions and questions in parameterized complexity. In: Calude, C.S., Calude, E., Dinneen, M.J. (eds.) *DLT 2004*. LNCS, vol. 3340, pp. 12–26. Springer, Heidelberg (2004)
225. Downey, R., Fellows, M., Stege, U.: Computational Tractability: The View From Mars. *Bulletin of the European Association for Theoretical Computer Science* 69, 73–97 (1999)
226. Downey, R., Fellows, M., Stege, U.: Parameterized Complexity: A framework for systematically confronting computational intractability. In: *Contemporary Trends in Discrete Mathematics: From DIMACS to DIMATIA to the future*. AMS-DIMACS Proceedings Series, pp. 49–99. AMS, Providence (1999)
227. Droste, S., Jansen, T., Wegener, I.: On the analysis of the (1+1) evolutionary algorithm. *Theoretical Computer Science* 276, 51–81 (2002)
228. Droste, S., Jansen, T., Wegener, I.: Optimization with randomized search heuristics—the (A)NFL theorem, realistic scenarios, and difficult functions. *Theoretical Computer Science* 287(1), 131–144 (2002)
229. Duvigneau, R., Praveen, C.: Meta-modeling for robust design and multi-level optimization. In: *Proceedings of the 42nd AAAF Congress on Applied Aerodynamics*, AAAF, Sophia-Antipolis, France (2007)
230. Dzuber, J., Whitley, D.: Advanced Correlation Analysis of Operators for the Traveling Salesman Problem. In: [185], pp. 68–77 (1994)
231. Edwards, S., Anderson, P.: Theory of spin glasses. *Journal of Physics F: Metal Physics* (1975)

232. Egea, J.A., Balsa-Canto, E., García, M.S.G., Ranga, J.R.: Dynamic optimization of non-linear processes with an enhanced scatter search method. *Journal of Industrial Chemical Engineering Research* 48, 4388–4401 (2009)
233. Ehrgott, M.: *Multicriteria Optimization*. Springer, Heidelberg (2005)
234. Eiben, A.: Multiparent recombination. In: Bäck, T., Fogel, D., Michalewicz, Z. (eds.) *Evolutionary Computation 1: Basic Algorithms and Operators*, pp. 289–307. Institute of Physics Publishing (2000)
235. Eiben, A., Michalewicz, Z.: *Evolutionary Computation*. IOS Press, Amsterdam (1998)
236. Eiben, A., Aarts, E., van Hee, K.: Global convergence of genetic algorithms: A markov chain analysis. In: [802], pp. 4–12 (1991)
237. Eiben, A., Hinterding, R., Michalewicz, Z.: Parameter control in evolutionary algorithms. *IEEE Transactions on Evolutionary Computation* 3(2), 124–141 (1999)
238. Eiben, A., Michalewicz, Z., Schoenauer, M., Smith, J.: Parameter control in evolutionary algorithms. In: Lobo, F., Lima, C., Michalewicz, Z. (eds.) *Parameter Setting in Evolutionary Algorithms*, pp. 19–46. Springer, Heidelberg (2007)
239. Eiben, A.E., Smith, J.E.: *Introduction to Evolutionary Computing*. Springer, Berlin (2003)
240. Eiben, A.E., Bäck, T., Schoenauer, M., Schwefel, H.-P. (eds.): *PPSN 1998*. LNCS, vol. 1498. Springer, Heidelberg (1998)
241. Eichfelder, G.: *Adaptive Scalarization Methods in Multiobjective Optimization*. Springer, Heidelberg (2008)
242. Eisen, M., Spellman, P., Brown, P., Botstein, D.: Cluster analysis and display of genome-wide expression patterns. *National Academy of Sciences* 95(25), 14,863–14,868 (1998)
243. Elmohamed, M.A.S., Coddington, P.D., Fox, G.C.: A comparison of annealing techniques for academic course scheduling. In: Burke, E.K., Carter, M. (eds.) *PATAT 1997*. LNCS, vol. 1408, pp. 92–112. Springer, Heidelberg (1998)
244. Emmerich, M., Beume, N., Naujoks, B.: An EMO algorithm using the hypervolume measure as selection criterion. In: [135], pp. 62–76 (2005)
245. Englert, M., Röglin, H., Vöcking, B.: Worst case and probabilistic analysis of the 2-Opt algorithm for the TSP. In: Bansal, N., Pruhs, K., Stein, C. (eds.) *18th ACM-SIAM Symposium on Discrete Algorithms (SODA 2007)*, pp. 1295–1304. SIAM, Philadelphia (2007)
246. Eshelman, L.: The CHC Adaptive Search Algorithm: How to Have Safe Search When Engaging in Nontraditional Genetic Recombination. In: Rawlings, G.J.E. (ed.) *Foundations of Genetic Algorithms*, pp. 265–283. Morgan Kaufmann, San Francisco (1991)
247. Eshelman, L.J., Schaffer, J.D.: Preventing premature convergence in genetic algorithms by preventing incest. In: [56], pp. 115–122 (1991)
248. Falkenauer, E.: *Genetic algorithms and grouping problems*. John Wiley & Sons, Inc., New York (1998)
249. Fallahi, A.E., Prins, C., Calvo, R.W.: A memetic algorithm and a tabu search for the multi-compartment vehicle routing problem. *Computers & Operations Research* 35(5), 1725–1741 (2008)
250. Fan, S.K.S., Liang, Y.C., Zahara, E.: A genetic algorithm and a particle swarm optimizer hybridized with Nelder–Mead simplex search. *Computers & Industrial Engineering* 50(4), 401–425 (2006)
251. Fawaz, Z., Xu, Y., Behdinan, K.: Hybrid evolutionary algorithm and application to structural optimization. *Structural and Multidisciplinary Optimization* 30(3), 219–226 (2005)

252. Fellows, M.R.: Recent developments in the theory of pre-processing. In: Atallah, M., Li, X.-Y., Zhu, B. (eds.) FAW-AAIM 2011. LNCS, vol. 6681, pp. 4–5. Springer, Heidelberg (2011)
253. Fellows, M.R., Rosamond, F.A., Fomin, F.V., Lokshtanov, D., Saurabh, S., Villanger, Y.: Local search: Is brute-force avoidable? In: Boutilier, C. (ed.) IJCAI, pp. 486–491 (2009)
254. Fellows, M.R., Rosamond, F.A., Rotics, U., Szeider, S.: Clique-width is NP-complete. *SIAM J. Discrete Math.* 23(2), 909–939 (2009)
255. Felsenstein, J.: Evolutionary trees from dna sequences: a maximum likelihood approach. *Journal of Molecular Evolution* 17, 368–376 (1981)
256. Felsenstein, J.: *Inferring phylogenies*. Sinauer Associates, Inc., Publishers, Sunderland (2003)
257. Ferentinos, K., Tsiligiridis, T.: A memetic algorithm for dynamic design of wireless sensor networks. In: [118], pp. 2774–2781 (2007)
258. Fernandez, E., Grana, M., Cabello, J.: An instantaneous memetic algorithm for illumination correction. In: [115], pp. 1105–1110 (2004)
259. Festa, P.: On some optimization problems in molecular biology. *Mathematical Biosciences* 207(2), 219–234 (2007)
260. Fialho, Á., Da Costa, L., Schoenauer, M., Sebag, M.: Dynamic multi-armed bandits and extreme value-based rewards for adaptive operator selection in evolutionary algorithms. In: Stützle, T. (ed.) LION 3. LNCS, vol. 5851, pp. 176–190. Springer, Heidelberg (2009)
261. Fidanova, S., Alba, E., Molina, G.: Memetic simulated annealing for the GPS surveying problem. In: Margenov, S., Vulkov, L.G., Waśniewski, J. (eds.) NAA 2008. LNCS, vol. 5434, pp. 281–288. Springer, Heidelberg (2009)
262. Fischer, T., Bauer, K., Merz, P.: A distributed memetic algorithm for the routing and wavelength assignment problem. In: [781], pp. 879–888 (2008)
263. Fischetti, M., Lodi, A.: Local branching. *Mathematical Programming* 98, 23–47 (2003)
264. Fitch, W.M.: Towards defining course of evolution: minimum change for a specified tree topology. *Systematic Zoology* 20, 406–416 (1971)
265. Flarup, U., Lyaudet, L.: On the expressive power of permanents and perfect matchings of matrices of bounded pathwidth/cliqewidth. *Theory Comput. Syst.* 46(4), 761–791 (2010)
266. Fletcher, R., Powell, M.J.D.: A rapidly convergent descent method for minimization. *The Computer Journal* 6(2), 163–168 (1963)
267. Fleurent, C., Ferland, J.A.: Object-oriented implementation of heuristic search methods for graph coloring. In: Johnson, D.S., Trick, M.A. (eds.) *Cliques, Coloring, and Satisfiability: Second DIMACS Implementation Challenge*. DIMACS Series in Discrete Mathematics and Theoretical Computer Science, vol. 26, pp. 619–652. American Mathematical Society, Providence (1996)
268. Fogel, D.: *Evolving artificial intelligence*. PhD thesis, University of California (1992)
269. Fogel, D.: *Evolutionary Computation*. IEEE Press, Los Alamitos (1995)
270. Fogel, D.: *Evolutionary Computation: the Fossil Record*. IEEE Press, Los Alamitos (1998)
271. Fogel, L., Owens, A., Walsh, M.: *Artificial Intelligence through Simulated Evolution*. Wiley, Chichester (1966)

272. Fomin, F.V., Thilikos, D.M.: Dominating sets and local treewidth. In: Di Battista, G., Zwick, U. (eds.) *ESA 2003*. LNCS, vol. 2832, pp. 221–229. Springer, Heidelberg (2003)
273. Fomin, F.V., Thilikos, D.M.: Branchwidth of graphs. In: Kao, M.Y. (ed.) *Encyclopedia of Algorithms*. Springer, Heidelberg (2008)
274. Fomin, F.V., Fraigniaud, P., Nisse, N.: Nondeterministic graph searching: From path-width to treewidth. *Algorithmica* 53(3), 358–373 (2009)
275. Fomin, F.V., Lokshtanov, D., Raman, V., Saurabh, S.: Fast local search algorithm for weighted feedback arc set in tournaments. In: Fox, M., Poole, D. (eds.) *Proceedings of the Twenty-Fourth AAAI Conference on Artificial Intelligence, AAAI 2010, Atlanta, Georgia, USA, July 11-15*, AAAI Press, Menlo Park (2010)
276. Fonseca, C., Fleming, P.: An overview of evolutionary algorithms in multiobjective optimisation. *Evolutionary Computation* 3(1), 1–16 (1995)
277. Foulds, L., Graham, R.: The steiner problem in phylogeny is NP-complete. *Advances in Applied Mathematics* 3(1), 43–49 (1982)
278. Fourer, R., Gay, D.M., Kernighan, B.W.: *AMPL: A Modeling Language for Mathematical Programming*, 2nd edn. Duxbury Press Brooks Cole Publishing Co. (2003)
279. Franca, P., Gupta, J., Mendes, A., Moscato, P., Veltink, K.: Evolutionary algorithms for flowshop scheduling with family setups. *Computers and Industrial Engineering* 48(3), 491–506 (2005)
280. França, P., Mendes, A., Moscato, P.: Algoritmos Meméticos e o Sequenciamento em Máquina Simples com Setup Times e Restrições de Datas de Entrega. In: *XXX SOBRAPO - Simpósio Brasileiro de Pesquisa Operacional, Curitiba, PR, Brasil, de Novembro 25-27*, Sociedade Brasileira de Pesquisa Operacional, pp. 315–316 (1998), extended abstract
281. França, P., Moscato, P., Müller, F., Mendes, A., Buriol, L.: O Projeto MemePool: Um Framework para Otimização Combinatória. In: *XXX SOBRAPO- Simpósio Brasileiro de Pesquisa Operacional, Curitiba, PR, Brasil, de Novembro 25-27*, Sociedade Brasileira de Pesquisa Operacional, pp. 20–21 (1998), extended abstract
282. França, P.M., Mendes, A., Moscato, P.: A memetic algorithm for the total tardiness single machine scheduling problem. *European Journal of Operational Research* 132(1), 224–242 (2001)
283. Frank, P.D.: Global modeling for optimization. *SIAM SIAG/OPT Views-and-News* 7, 9–12 (1995)
284. Franz, A., Hoffmann, K.H., Salamon, P.: A best possible strategy for finding ground states. *Physical Review Letters* 86, 5219–5222 (2001)
285. Freisleben, B., Merz, P.: A genetic local search algorithm for solving symmetric and asymmetric traveling salesman problems. In: *Proceedings of the 1996 IEEE International Conference on Evolutionary Computation, Nagoya, Japan*, pp. 616–621. IEEE Press, Los Alamitos (1996)
286. Freisleben, B., Merz, P.: New genetic local search operators for the traveling salesman problem. In: [909], pp. 890–899 (1996)
287. French, A., Robinson, A., Wilson, J.: Using a hybrid genetic-algorithm/branch and bound approach to solve feasibility and optimization integer programming problems. *Journal of Heuristics* 7(6), 551–564 (2001)
288. Fukunaga, A.: Automated discovery of local search heuristics for satisfiability testing. *Evolutionary Computation* 16(1), 31–61 (2008)
289. Galinier, P., Hao, J.K.: Tabu search for maximal constraint satisfaction problems. In: Smolka, G. (ed.) *CP 1997*. LNCS, vol. 1330, pp. 196–208. Springer, Heidelberg (1997)

290. Galinier, P., Hao, J.K.: Hybrid evolutionary algorithms for graph coloring. *Journal of Combinatorial Optimization* 3(4), 379–397 (1999)
291. Galinier, P., Hao, J.K.: A general approach for constraint solving by local search. *Journal of Mathematical Modelling and Algorithms* 3(1), 73–88 (2004)
292. Galinier, P., Hertz, A., Zufferey, N.: An adaptive memory algorithm for the k-coloring problem. *Discrete Applied Mathematics* 156(2), 267–279 (2008)
293. Gallardo, J.E., Cotta, C., Fernández, A.J.: A hybrid model of evolutionary algorithms and branch-and-bound for combinatorial optimization problems. In: [116], pp. 2248–2254 (2005)
294. Gallardo, J.E., Cotta, C., Fernández, A.J.: Solving the multidimensional knapsack problem using an evolutionary algorithm hybridized with branch and bound. In: [602], pp. 21–30 (2005)
295. Gallardo, J.E., Cotta, C., Fernández, A.J.: A memetic algorithm with bucket elimination for the still life problem. In: Gottlieb, J., Raidl, G.R. (eds.) *EvoCOP 2006*. LNCS, vol. 3906, pp. 73–85. Springer, Heidelberg (2006)
296. Gallardo, J.E., Cotta, C., Fernández, A.J.: A multi-level memetic/exact hybrid algorithm for the still life problem. In: [783], pp. 212–221 (2006)
297. Gallardo, J.E., Cotta, C., Fernández, A.J.: On the hybridization of memetic algorithms with branch-and-bound techniques. *IEEE Transactions on Systems, Man and Cybernetics, part B* 37(1), 77–83 (2007)
298. Gallardo, J.E., Cotta, C., Fernández, A.J.: Reconstructing phylogenies with memetic algorithms and branch-and-bound. In: Bandyopadhyay, S., Maulik, U., Wang, J. (eds.) *Analysis of Biological Data: A Soft Computing Approach*, pp. 59–84. World Scientific, Singapore (2007)
299. Gallardo, J.E., Cotta, C., Fernández, A.J.: Solving weighted constraint satisfaction problems with memetic/exact hybrid algorithms. *Journal of Artificial Intelligence Research* 35, 533–555 (2009)
300. Gallo, G., Hammer, P.L., Simeone, B.: Quadratic Knapsack Problems. *Mathematical Programming* 12, 132–149 (1980)
301. Gandibleux, X., Morita, H., Katoh, N.: The supported solutions used as a genetic information in a population heuristic. In: [971], pp. 429–442 (2001)
302. Garcia, V., França, P.M., Mendes, A., Moscato, P.: A parallel memetic algorithm applied to the total tardiness machine scheduling problem. In: *20th International Parallel and Distributed Processing Symposium*. IEEE Press, Los Alamitos (2006)
303. Garey, M.R., Johnson, D.S.: *Computers and Intractability, A Guide to the Theory of NP-Completeness*. W. H. Freeman and Company, New York (1979)
304. Garret, D., Dasgupta, D.: An empirical comparison of memetic algorithm strategies on the multiobjective quadratic assignment problem. In: *IEEE Symposium on Computational intelligence in multi-criteria decision-making*, pp. 80–87. IEEE Press, Los Alamitos (2009)
305. Gaspar-Cunha, A., Vieira, A.: A multi-objective evolutionary algorithm using neural networks to approximate fitness evaluations. *International Journal of Computers, Systems and Signals* 6(1), 18–36 (2005)
306. Geman, S., Geman, D.: Stochastic relaxation, gibbs distributions, and the bayesian restoration of images. *IEEE Trans. Pattern Anal. Mach. Intell.* 6, 721–741 (1984)
307. Giannakoglou, K.C.: Design of optimal aerodynamic shapes using stochastic optimization methods and computational intelligence. *International Review Journal Progress in Aerospace Sciences* 38(1), 43–76 (2002)

308. Glover, F.: Heuristics for integer programming using surrogate constraints. *Decision Sciences* 8(1), 156–166 (1977)
309. Glover, F.: Tabu search – part I. *ORSA Journal of Computing* 1(3), 190–206 (1989)
310. Glover, F.: Tabu search – part II. *ORSA Journal of Computing* 2(1), 4–31 (1989)
311. Glover, F.: Tabu search for nonlinear and parametric optimization (with links to genetic algorithms). *Discrete Applied Mathematics* 49(1–3), 231–255 (1994)
312. Glover, F.: Tabu search and adaptive memory programming advances, applications and challenges. In: Barr, R., Helgason, R., Kennington, J. (eds.) *Interfaces in Computer Science and Operations Research*, vol. 7, pp. 1–75. Springer, Heidelberg (1997)
313. Glover, F.: A template for scatter search and path relinking. In: Hao, J.-K., Lutton, E., Ronald, E., Schoenauer, M., Snyers, D. (eds.) *AE 1997. LNCS*, vol. 1363, pp. 13–54. Springer, Heidelberg (1998)
314. Glover, F.: Scatter search and path relinking. In: [145], pp. 291–316 (1999)
315. Glover, F., Kochenberger, G. (eds.): *Handbook of Metaheuristics*. Kluwer Academic Publishers, Boston (2003)
316. Glover, F., Kochenberger, G.A.: Critical event tabu search for multidimensional knapsack problems. In: Osman, I., Kelly, J. (eds.) *Metaheuristics: The Theory and Applications*, pp. 407–425. Kluwer Academic Publishers, Dordrecht (1996)
317. Glover, F., Laguna, M.: *Tabu Search*. Kluwer Academic Publishers, Dordrecht (1997)
318. Glover, F., Kochenberger, G., Alidaee, B., Amini, M.: Tabu Search with Critical Event Memory: An Enhanced Application for Binary Quadratic Programs. In: Voss, S., Martello, S., Osman, I., Roucairol, C. (eds.) *Meta-Heuristics - Advances and Trends in Local Search Paradigms for Optimization*, pp. 83–109. Kluwer Academic Publishers, Dordrecht (1998)
319. Glover, F., Kochenberger, G.A., Alidaee, B.: Adaptive Memory Tabu Search for Binary Quadratic Programs. *Management Science* 44(3), 336–345 (1998)
320. Glover, F., Laguna, M., Martí, R.: Fundamentals of scatter search and path relinking. *Control and Cybernetics* 39(3), 653–684 (2000)
321. Glover, F., Laguna, M., Martí, R.: Scatter search. In: Ghosh, A., Tsutsui, S. (eds.) *Advances in Evolutionary Computation: Theory and Applications*. Natural Computing Series, pp. 519–537. Springer, Heidelberg (2003)
322. Goëffon, A., Richer, J.M., Hao, J.K.: A distance-based information preservation tree crossover for the maximum parsimony problem. In: [783], pp. 761–770 (2006)
323. Goëffon, A., Richer, J.M., Hao, J.K.: Progressive tree neighborhood applied to the maximum parsimony problem. *IEEE/ACM Transactions on Computational Biology and Bioinformatics* 5(1), 136–145 (2008)
324. Goh, C.K., Tan, K.C.: Evolving the tradeoffs between pareto-optimality and robustness in multi-objective evolutionary algorithms. In: Yang, S., Ong, Y.S., Jin, Y. (eds.) *Evolutionary Computation in Dynamic and Uncertain Environments*. SCI, pp. 457–478. Springer, Heidelberg (2007)
325. Goldberg, D.E.: *Genetic algorithms in search, optimization and machine learning*. Addison-Wesley, Reading (1989)
326. Goldberg, D.E.: *The Design of Innovation: Lessons from and for Competent Genetic Algorithms*. Kluwer Academic Publishers, Norwell (2002)
327. Goldberg, D.E., Richardson, J.: Genetic algorithms with sharing for multimodal function optimization. In: [333], pp. 41–49 (1987)
328. Goldberg, D.E., Segrest, P.: Finite markov chain analysis of genetic algorithms. In: [333], pp. 1–8 (1987)

329. Goldberg, D.E., Voessner, S.: Optimizing global-local search hybrids. In: [42], pp. 220–228 (1999)
330. Gómez Ravetti, M., Rosso, O.A., Berretta, R., Moscato, P.: Uncovering molecular biomarkers that correlate cognitive decline with the changes of hippocampus' gene expression profiles in alzheimer's disease. *PLoS ONE* 5(4), e10, 153 (2010)
331. Gorges-Schleuter, M.: ASPARAGOS: An Asynchronous Parallel Genetic Optimization Strategy. In: [794], pp. 422–427 (1989)
332. Greenberg, H.J., Hart, W.E., Lancia, G.: Opportunities for combinatorial optimization in computational biology. *INFORMS Journal on Computing* 16(3), 211–231 (2004)
333. Grefenstette, J. (ed.): *Second International Conference on Genetic Algorithms*. Morgan Kaufmann, San Mateo (1987)
334. Grefenstette, J.J.: Incorporating Problem Specific Knowledge into Genetic Algorithms. In: Davis, L. (ed.) *Genetic Algorithms and Simulated Annealing*. Research Notes in Artificial Intelligence, pp. 42–60. Morgan Kaufmann Publishers, San Francisco (1987)
335. Grefenstette, J.: Optimisation of control parameters for genetic algorithms. *IEEE Transactions on Systems, Man and Cybernetics* 16, 122–128 (1986)
336. Grimbleby, J.B.: Hybrid genetic algorithms for analogue network synthesis. In: [111], pp. 1781–1787 (1999)
337. Gross, D., Harris, C.M.: *Fundamentals of Queueing Theory*. Wiley, NY (1985)
338. Guéret, C., Prins, C., Sevaux, M.: *Applications of optimisation with Xpress-MP*. Dash Optimization (2002)
339. Guerra-Salcedo, C., Chen, S., Whitley, D., Smith, S.: Fast and accurate feature selection using hybrid genetic strategies. In: [111], pp. 177–184 (1999)
340. Guimaraes, F., Lowther, D., Ramirez, J.: Analysis of the computational cost of approximation-based hybrid evolutionary algorithms in electromagnetic design. *IEEE Transactions on Magnetics* 44(6), 1130–1133 (2008)
341. Gurski, F.: Characterizations for restricted graphs of NLC-width 2. *Theor. Comput. Sci.* 372(1), 108–114 (2007)
342. Gurski, F., Wanke, E.: Minimizing NLC-width is NP-complete. In: Kratsch, D. (ed.) *WG 2005*. LNCS, vol. 3787, pp. 69–80. Springer, Heidelberg (2005)
343. Gutin, G., Karapetyan, D.: A memetic algorithm for the multidimensional assignment problem. In: Stützle, T., Birattari, M., Hoos, H.H. (eds.) *SLS 2009*. LNCS, vol. 5752, pp. 125–129. Springer, Heidelberg (2009)
344. Gutin, G., Karapetyan, D.: A selection of useful theoretical tools for the design and analysis of optimization heuristics. *Memetic Computing* 1(1), 25–34 (2009)
345. Gutin, G., Karapetyan, D.: A memetic algorithm for the generalized traveling salesman problem. *Natural Computing* 9(1), 47–60 (2010)
346. Gutin, G., Karapetyan, D., Krasnogor, N.: Memetic algorithm for the generalized asymmetric traveling salesman problem. In: Krasnogor, N., Nicosia, G., Pavone, M., Pelta, D.A. (eds.) *NICSO. SCI*, vol. 210, pp. 199–210. Springer, Heidelberg (2007)
347. Haas, O., Burnham, K., Mills, J., Reeves, C., Fisher, M.: Hybrid genetic algorithms applied to beam orientation in radiotherapy. In: *Proceedings of 4th European Conference on Intelligent Techniques and Soft Computing*, Verlag Mainz, vol. 3, pp. 2050–2055 (1996)
348. Haas, O., Burnham, K., Mills, J.: Optimization of beam orientation in radiotherapy using planar geometry. *Physics in Medicine and Biology* 43(8), 2179–2193 (1998)

349. Haidari, S., Farsangi, M., Nezamabadi-pour, H., Lee, K.Y.: Design of supplementary controller for HVDC using memetic algorithm with population management. In: IEEE Power and Energy Society General Meeting - Conversion and Delivery of Electrical Energy in the 21st Century, pp. 1–6. IEEE Press, Los Alamitos (2008)
350. Hajela, P., Lin, C.Y.: Genetic search strategies in multicriterion optimal design. *Structural Optimization* 4, 99–107 (1992)
351. Hajiaghayi, M., Nishimura, N.: Subgraph isomorphism, log-bounded fragmentation, and graphs of (locally) bounded treewidth. *J. Comput. Syst. Sci.* 73(5), 755–768 (2007)
352. Hamiez, J.P., Hao, J.K.: Scatter search for graph coloring. In: [137], pp. 168–179 (2002)
353. Hamiez, J.-P., Robet, J., Hao, J.-K.: A tabu search algorithm with direct representation for strip packing. In: Cotta, C., Cowling, P. (eds.) *EvoCOP 2009*. LNCS, vol. 5482, pp. 61–72. Springer, Heidelberg (2009)
354. Hammel, U., Bäck, T.: Evolution strategies on noisy functions, how to improve convergence properties. In: [185], pp. 159–168 (1994)
355. Han, C.W., Park, J.I.: SA-selection-based genetic algorithm for the design of fuzzy controller. *International Journal of Control, Automation, and Systems* 3(2), 236–243 (2005)
356. Handoko, S., Kwoh, C., Ong, Y., Lim, M.: A study on constrained ma using ga and sqp: Analytical vs. finite-difference gradients. In: [119], pp. 4031–4038 (2008)
357. Hansen, M.: Metaheuristics for multiple objective combinatorial optimization. PhD thesis, Technical University of Denmark (1998)
358. Hansen, M.: Tabu search for multiobjective combinatorial optimization: TAMOCO. *Control and Cybernetics* 29(3), 799–818 (2000)
359. Hansen, M.: Use of substitute scalarizing functions to guide a local search based heuristic: the case of moTSP. *Journal of Heuristics* 6(3), 419–430 (2000)
360. Hansen, N.: The CMA evolution strategy (2011), <http://www.lri.fr/~hansen/cmaesintro.html> (accessed on April 18, 2011)
361. Hansen, N., Ostermeier, A.: Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In: IEEE Conference on Evolutionary Computation, pp. 312–317. IEEE Press, Piscataway (1996)
362. Hansen, N., Ostermeier, A.: Completely derandomized self-adaptation in evolution strategies. *Evolutionary Computation* 9(2), 159–195 (2001)
363. Hansen, P., Mladenović, N.: An introduction to variable neighborhood search. In: Voss, S., et al. (eds.) *Metaheuristics, Advances and Trends in Local Search Paradigms for Optimization*, pp. 433–458. Kluwer Academic Publishers, Dordrecht (1999)
364. Hansen, P., Mladenović, N.: Variable neighborhood search. In: Glover, F., Kochenberger, G. (eds.) *Handbook of Metaheuristics*, pp. 145–184. Kluwer Academic Publishers, Boston (2002)
365. Harada, K., Ikeda, K., Kobayashi, S.: Hybridization of genetic algorithm and local search in multiobjective function optimization: recommendation of GA then LS. In: [110], pp. 667–674 (2006)
366. Hart, W.: Adaptive global optimization with local search. PhD thesis, University of California, San Diego, CA (1994)
367. Hart, W., Belew, R.: Optimizing an arbitrary function is hard for the genetic algorithm. In: [56], pp. 190–195 (1991)

368. Hart, W., Belew, R.K.: Optimization with genetic algorithm hybrids that use local search. In: Belew, R.K., Mitchell, M. (eds.) *Adaptive Individuals in Evolving Populations: Models and Algorithms*, Santa Fe Institute Studies in the Sciences of Complexity, ch. 27, pp. 483–496. Addison-Wesley, Reading (1995)
369. Hart, W., Istrail, S.: Fast protein folding in the hydrophobic-hydrophilic model within three-eighths of optimal. *Journal of Computational Biology* 3(1), 53–96 (1996)
370. Hart, W., Istrail, S.: Lattice and off-lattice side chain models of protein folding: Linear time structure prediction better than 86% of optimal. *Journal of Computational Biology* 4(3), 241–259 (1997)
371. Hart, W., Istrail, S.: Robust proofs of NP-hardness for protein folding: General lattices and energy potentials. *Journal of Computational Biology* 4(1), 1–20 (1997)
372. Hart, W., Istrail, S.: Locally-adaptive and memetic evolutionary pattern search algorithms. *Evolutionary Computation* 11(1), 29–52 (2003)
373. Hart, W., Rosin, C., Belew, R., Morris, G.: Improved evolutionary hybrids for flexible ligand docking in autodock. In: Floudas, C.A., Pardalos, P.M. (eds.) *Optimization in Computational Chemistry and Molecular Biology, Nonconvex Optimization and Its Applications*, vol. 40, pp. 209–230. Springer, Heidelberg (2000)
374. Hart, W., Krasnogor, N., Smith, J.E.: Special issue on memetic algorithms. *Evolutionary Computation* 12(3) (2004)
375. Hart, W., Krasnogor, N., Smith, J.: Recent advances in memetic algorithms. *STUD-FUZZ*, vol. 166. Springer, Heidelberg (2005)
376. Hart, W., Krasnogor, N., Smith, J.E.: Memetic evolutionary algorithms. In: [375], pp. 3–27 (2005)
377. Hasan, K., Sarker, R., Essam, D.: Evolutionary scheduling with rescheduling option for sudden machine breakdowns. In: [121], pp. 1913–1920 (2010)
378. Hasan, S., Sarker, R., Essam, D., Cornforth, D.: Memetic algorithms for solving job-shop scheduling problems. *Memetic Computing* 1(1), 69–83 (2009)
379. Hazrati, N., Rashidi-Nejad, M., Gharaveisi, A.A.: Pricing and allocation of spinning reserve and energy in restructured power systems via memetic algorithm. In: *Conference on Power Engineering, 2007 Large Engineering Systems*, pp. 234–238 (2007)
380. Helsgaun, K.: An Effective Implementation of the Lin-Kernighan Traveling Salesman Heuristic. *European Journal of Operational Research* 126(1), 106–130 (2000)
381. Herdy, M.: Reproductive isolation as strategy parameter in hierarchically organized evolution strategies. In: [551], pp. 2–9 (1992)
382. Herrera, F., Lozano, M., Sánchez, A.M.: A taxonomy for the crossover operator for real-coded genetic algorithms: An experimental study. *International Journal of Intelligent Systems* 18, 309–338 (2003)
383. Herrera, F., Lozano, M., Molina, D.: Continuous scatter search: An analysis of the integration of some combination methods and improvement strategies. *European Journal of Operational Research* 169(2), 450–476 (2006)
384. Hicks, I.V.: Branchwidth and branch decompositions. In: Floudas, C.A., Pardalos, P.M. (eds.) *Encyclopedia of Optimization*, pp. 332–339. Springer, Heidelberg (2009)
385. Hidalgo, J., Lanchares, J., Ibarra, A., Hermida, R.: A hybrid evolutionary algorithm for multi-FPGA systems design. In: *Euromicro Symposium on Digital System Design*, pp. 60–67 (2002)
386. Hinterding, R., Michalewicz, Z., Eiben, A.: Adaptation in evolutionary computation: A survey. In: *1997 IEEE Conference on Evolutionary Computation*. IEEE Press, Los Alamitos (1997)

387. Hofmann, R.: Parallel evolutionary trajectories. Research Report SS92-11, Edinburgh Parallel Computing Centre (1992)
388. Hofmann, R.: Examinations on the algebra of genetic algorithms. Master's thesis, Technische Universität München, Institut für Informatik (1993)
389. Holland, J.H.: Adaptation and artificial systems. University of Michigan Press (1975)
390. Holstein, D., Moscato, P.: Memetic algorithms using guided local search: A case study. In: [145], pp. 235–244 (1999)
391. Hooke, R., Jeeves, T.A.: Direct search solution of numerical and statistical problems. *Journal of the ACM* 8, 212–229 (1961)
392. Hoos, H.H., Stützle, T.: SATLIB: An online resource for research on SAT. In: Gent, I., Maaren, H., Walsh, T. (eds.) SAT 2000, pp. 283–292. IOS Press, Amsterdam (2000), <http://www.satlib.org>
393. Hoos, H.H., Stützle, T.: Stochastic Local Search: Foundations and Applications. Morgan Kaufmann Publishers, San Francisco (2004)
394. Horjick, W., Manderick, B.: The Usefulness of Recombination. In: Proceedings of the European Conference on Artificial Life. Springer, Heidelberg (1995)
395. Horn, J., Goldberg, D.E., Deb, K.: Long path problems. In: [185], pp. 149–158 (1994)
396. Houck, C., Joines, J., Kay, M., Wilson, J.: Empirical investigation of the benefits of partial lamarckianism. *Evolutionary Computation* 5(1), 31–60 (1997)
397. Hourani, M., Berretta, R., Mendes, A., Moscato, P.: Genetic signatures for a rodent model of parkinson's disease using combinatorial optimization methods. In: Keith, J.M. (ed.) Bioinformatics: Structure, Function and Applications, Methods in Molecular Biology, vol. II, pp. 379–392. Humana Press (2008)
398. Hung, L.-J., Kloks, T.: Classifying rankwidth k -DH-graphs. In: Ablayev, F., Mayr, E.W. (eds.) CSR 2010. LNCS, vol. 6072, pp. 195–203. Springer, Heidelberg (2010)
399. Husbands, P., Mill, F.: Simulated coevolution as the mechanism for emergent planning and scheduling. In: [56], pp. 264–270 (1991)
400. Hwang, C.L., Paidy, S., Yoon, K., Masud, A.: Mathematical programming with multiple objectives: A tutorial. *Computers and Operations Research* 7, 5–31 (1980)
401. Igel, C., Toussaint, M.: A no-free-lunch theorem for non-uniform distributions of target functions. *Journal of Mathematical Modelling and Algorithms* 3(4), 313–322 (2004)
402. Il-Seok, O., Jin-Seon, L., Byung-Ro, M.: Hybrid genetic algorithms for feature selection. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 26, 1424–1437 (2004)
403. Im, C.H., Jung, H.K., Kim, Y.J.: Hybrid genetic algorithm for electromagnetic topology optimization. *IEEE Transactions on Magnetics* 39(5), 2163–2169 (2003)
404. Inostroza-Ponta, M., Berretta, R., Mendes, A., Moscato, P.: An automatic graph layout procedure to visualize correlated data. In: Bramer, M. (ed.) IFIP AI. IFIP, vol. 217, pp. 179–188. Springer, Heidelberg (2006)
405. Inostroza-Ponta, M., Mendes, A., Berretta, R., Moscato, P.: An integrated QAP-based approach to visualize patterns of gene expression similarity. In: Randall, M., Abbass, H.A., Wiles, J. (eds.) ACAL 2007. LNCS (LNAI), vol. 4828, pp. 156–167. Springer, Heidelberg (2007)
406. Inostroza-Ponta, M., Berretta, R., Moscato, P.: Qapgrid: A two level qap-based approach for large-scale data analysis and visualization. *PLoS ONE* 6(1), 6(1), e14, 468 (2011)
407. Isaacs, A., Ray, T., Smith, W.: Memetic algorithm for dynamic bi-objective optimization problems. In: [120], pp. 1707–1713 (2009)

408. Ishibuchi, H., Murata, T.: Multi-objective genetic local search algorithm. In: Fukuda, T., Furuhashi, T. (eds.) 1996 International Conference on Evolutionary Computation, pp. 119–124. IEEE Press, Nagoya (1996)
409. Ishibuchi, H., Murata, T.: Multi-objective genetic local search algorithm and its application to flowshop scheduling. *IEEE Transactions on Systems, Man and Cybernetics - Part C: Applications and Reviews* 28(3), 392–403 (1998)
410. Ishibuchi, H., Narukawa, K.: Some issues on the implementation of local search in evolutionary multiobjective optimization. In: [201], pp. 1246–1258 (2004)
411. Ishibuchi, H., Yoshida, T., Murata, T.: Balance between genetic search and local search in memetic algorithms for multiobjective permutation flowshop scheduling. *IEEE Transactions on Evolutionary Computation* 7(2), 204–223 (2003)
412. Ishibuchi, H., Narukawa, K., Tsukamoto, N., Nojima, Y.: An empirical study on similarity-based mating for evolutionary multiobjective combinatorial optimization. *European Journal of Operational Research* 188(1), 57–75 (2008)
413. Ishibuchi, H., Hitotsuyanagi, Y., Tsukamoto, N., Nojima, Y.: Use of biased neighborhood structures in multiobjective memetic algorithms. *Soft Computing* 13(8–9), 795–810 (2009)
414. Ivănescu, P.L.: Some Network Flow Problems Solved with Pseudo-Boolean Programming. *Operations Research* 13, 388–399 (1965)
415. Iyama, Y., Matsubara, F.: Ground-state properties of a heisenberg spin glass model with a hybrid genetic algorithm. *Journal of the Physical Society of Japan* 78(1), 014,703 (2009)
416. Jansen, T., Wegener, I.: On the choice of the mutation probability for the (1+1) EA. In: [796], pp. 89–98 (2000)
417. Jansen, T., De Jong, K.A., Wegener, I.: On the choice of the offspring population size in evolutionary algorithms. *Evolutionary Computation* 13, 413–440 (2005)
418. Jaszkiwicz, A.: Multiple objective metaheuristic algorithms for combinatorial optimization. PhD thesis, Poznan University of Technology, habilitation thesis (2001)
419. Jaszkiwicz, A.: Genetic local search for multi-objective combinatorial optimization. *European Journal of Operational Research* 137, 50–71 (2002)
420. Jaszkiwicz, A.: On the performance of multiple objective genetic local search on the 0/1 knapsack problem. a comparative experiment. *IEEE Transactions on Evolutionary Computation* 6(4), 402–412 (2002)
421. Jaszkiwicz, A.: A comparative study of multiple-objective metaheuristics on the bi-objective set covering problem and the pareto memetic algorithm. *Annals of Operations Research* 131(1-4), 135–158 (2004)
422. Jaszkiwicz, A., Branke, J.: Interactive multiobjective evolutionary algorithms. In: [84], pp. 179–193 (2008)
423. Jaszkiwicz, A., Zielniewicz, P.: Efficient adaptation of the pareto memetic algorithm to the multiple objective travelling salesperson problem. In: 7th International conference on MultiObjective Programming and Goal Programming, MOPFP 2006 (2006)
424. Jin, Y.: A comprehensive survey of fitness approximation in evolutionary computation. *Soft Computing - A Fusion of Foundations, Methodologies and Applications* 9(1), 3–12 (2005)
425. Jin, Y., Branke, J.: Evolutionary optimization in uncertain environments. *IEEE Transactions on Evolutionary Computation* 9(3), 305–317 (2005)
426. Jin, Y., Olhofer, M., Sendhoff, B.: A framework for evolutionary optimization with approximate fitness functions. *IEEE Transactions on evolutionary computation* 6(5), 481–494 (2002)

427. Johnson, D.S.: Local Optimization and the Traveling Salesman Problem. In: Paterson, M. (ed.) ICALP 1990. LNCS, vol. 443, pp. 446–461. Springer, Heidelberg (1990)
428. Johnson, D.S., McGeoch, L.A.: Experimental Analysis of Heuristics for the STSP. In: Gutin, G., Punnen, A. (eds.) The Traveling Salesman Problem and its Variations, Kluwer Academic Publishers, Dordrecht (2002)
429. Johnson, D.S., Papadimitriou, C.H., Yannakakis, M.: How easy is local search? *Journal of Computer and System Sciences* 37(1), 79–100 (1988)
430. Johnson, D.S., Aragon, C.R., McGeoch, L.A., Schevon, C.: Optimization by Simulated Annealing: An Experimental Evaluation; Part I, Graph Partitioning. *Operations Research* 37, 865–892 (1989)
431. Johnson, D.S., McGeoch, L.A., Schevon, C.: Optimization by simulated annealing: An experimental evaluation; part II, graph coloring and number partitioning. *Operations Research* 39(3), 378–406 (1991)
432. Jones, T.: Crossover, macromutation, and population-based search. In: Eshelman, L. (ed.) Sixth International Conference on Genetic Algorithms, pp. 73–80. Morgan Kaufmann, San Francisco (1995)
433. Jones, T.: Evolutionary algorithms, fitness landscapes and search. PhD thesis, University of New Mexico, USA (1995)
434. Jones, T.: One operator, one landscape. Tech. Rep. #95-02-025, Santa Fe Institute (1996)
435. Jones, T., Forrest, S.: Fitness Distance Correlation as a Measure of Problem Difficulty for Genetic Algorithms. In: Eshelman, L.J. (ed.) Proceedings of the 6th International Conference on Genetic Algorithms, pp. 184–192. Morgan Kaufmann, San Francisco (1995)
436. Juang, C.F.: A hybrid of genetic algorithm and particle swarm optimization for recurrent network design. *IEEE Transactions on Systems, Man, and Cybernetics–Part B: Cybernetics* 34(2), 997–1006 (2004)
437. Judd, J.S.: Neural network design and the complexity of learning. In: *Neural Network Modeling and Connectionism*. MIT Press, Cambridge (1990)
438. Kallel, L., Naudts, B., Reeves, C.R.: Properties of fitness functions and search landscapes. In: Kallel, L., Naudts, B., Rogers, A. (eds.) *Theoretical Aspects of Evolutionary Computing*. Natural Computing Series, pp. 175–206. Springer, Heidelberg (2001)
439. Karakasis, M.K., Giannakoglou, K.C.: On the use of surrogate evaluation models in multi-objective evolutionary algorithms. In: *Proceedings of the European Conference on Computational Methods in Applied Sciences and Engineering, ECCOMAS 2004* (2004)
440. Karakasis, M.K., Koubogiannis, D., Giannakoglou, K.C.: Hierarchical distributed evolutionary algorithms in shape optimization. *International Journal of Numerical Methods in Fluids* 53(3), 455–469 (2007)
441. Karaoğlu, B., Topçuoğlu, H., Gürgen, F.: Evolutionary algorithms for location area management. In: Rothlauf, F., Branke, J., Cagnoni, S., Corne, D.W., Drechsler, R., Jin, Y., Machado, P., Marchiori, E., Romero, J., Smith, G.D., Squillero, G. (eds.) *EvoWorkshops 2005*. LNCS, vol. 3449, pp. 175–184. Springer, Heidelberg (2005)
442. Karapetyan, D., Gutin, G.: A new approach to population sizing for memetic algorithms: A case study for the multidimensional assignment problem. *CoRR abs/1003.4314* (2010)
443. Kargupta, H., Ghosh, S.: Towards machine learning through genetic code-like transformations. Tech. rep., Computer Science and Electrical Engineering Department, University of Maryland Baltimore County (2001)

444. Kase, S., Nishiyama, N.: An Industrial Engineering Game Model for Factory Layout. *The Journal of Industrial Engineering* XV(3), 148–150 (1964)
445. Kask, K., Detcher, R.: A general scheme for automatic generation of search heuristics from specification dependencies. *Artificial Intelligence* 129, 91–131 (2001)
446. Katayama, K., Narihisa, H.: Performance of Simulated Annealing-based Heuristic for the Unconstrained Binary Quadratic Programming Problem. Tech. rep., Okayama University of Science, Dept. of Information and Computer Engineering, Okayama, Japan (1999)
447. Katayama, K., Narihisa, H.: Solving Large Binary Quadratic Programming Problems by Effective Genetic Local Search Algorithm. In: [932], pp. 643–650 (2000)
448. Katayama, K., Narihisa, H.: A Variant k-opt Local Search Heuristic for Binary Quadratic Programming. *Trans. IEICE (A)* J84-A(3), 430–435 (2001)
449. Katsumata, Y., Terano, T.: Bayesian optimization algorithm for multi-objective solutions: application to electric equipment configuration problems in a power plant. In: [114], pp. 1101–1107 (2003)
450. Kauffman, S., Levin, S.: Towards a general theory of adaptive walks on rugged landscapes. *Journal of Theoretical Biology* 128, 11–45 (1987)
451. Kauffman, S.A.: *The Origins of Order: Self-Organization and Selection in Evolution*. Oxford University Press, Oxford (1993)
452. Kauffman, S.A., Levin, S.: Towards a General Theory of Adaptive Walks on Rugged Landscapes. *Journal of Theoretical Biology* 128, 11–45 (1987)
453. Keller, R., Banzhaf, W.: Genetic programming using genotype-phenotype mapping from linear genomes into linear phenotypes. In: Koza, J., Goldberg, D., Fogel, D., Riolo, R. (eds.) *1st Annual Conference on Genetic Programming*, pp. 116–122. MIT Press, Cambridge (1996)
454. Keller, R., Banzhaf, W.: The evolution of genetic code in genetic programming. In: [42], pp. 1077–1082 (1999)
455. Kelner, V., Capitanescu, F., Léonard, O., Wehenkel, L.: A hybrid optimization technique coupling an evolutionary and a local search algorithm. *Journal of Computational and Applied Mathematics* 215(2), 448–456 (2008)
456. Kendall, G., Cowling, P., Soubeiga, E.: Choice function and random hyperheuristics. In: *Fourth Asia-Pacific Conference on Simulated Evolution and Learning*, Singapore, pp. 667–671 (2002)
457. Kennedy, J., Eberhart, R.: *Swarm Intelligence*. Morgan Kaufmann Publishers, San Francisco (2001)
458. Kennedy, J., Eberhart, R.C.: Particle swarm optimization. In: *IEEE International Conference on Neural Networks*, pp. 1942–1948. IEEE Press, Los Alamitos (1995)
459. Kerdchuen, T., Ongsakul, W.: Optimal measurement placement for power system state estimation using hybrid genetic algorithm and simulated annealing. In: *International Conference on Power System Technology*, pp. 1–5 (2006)
460. Kernighan, B.W., Lin, S.: An efficient heuristic procedure for partitioning graphs. *The Bell System Technical Journal* 49(2), 291–307 (1970)
461. KhudaBukhsh, A., Xu, L., Hoos, H., Leyton-Brown, K.: SATenstein: Automatically building local search SAT solvers from components. In: *21st International Joint Conference on Artificial Intelligence*, pp. 517–524. AAAI Press, Menlo Park (2009)
462. Kim, D.H., Abraham, A.: A hybrid genetic algorithm and bacterial foraging approach for global optimization and robust tuning of PID controller with disturbance rejection. In: Grosan, C., Abraham, A., Ishibuchi, H. (eds.) *Hybrid Evolutionary Algorithms*, pp. 171–199. Springer, Heidelberg (2007)

463. Kim, E.Y., Yang, B.S., Tan, A.C.C.: A hybrid evolutionary algorithm and its application to parameter identification of rolling elements bearings. In: Kosinski W (ed.) *Advances in Evolutionary Algorithms, IN-TECH* (2008)
464. Kim, S.S., Smith, A.E., Lee, J.H.: A memetic algorithm for channel assignment in wireless fdma systems. *Computers and Operations Research* 34(6), 1842–1856 (2007)
465. Kimura, S., Hatakeyama, M., Konagaya, A.: Inference of s-system models of genetic networks from noisy time-series data. *Chem.-Bio. Informatics Journal* 4(1), 1–14 (2004)
466. Kimura, S., et al.: Inference of S-system models of genetic networks using a cooperative coevolutionary algorithm. *Bioinformatics* 21(7), 1154–1163 (2005)
467. Kirkpatrick, S., Sherrington, D.: Infinite-ranged models of spin-glasses. *Physical Review B* (1978)
468. Kirkpatrick, S., Gelatt, C.D.J., Vecchi, M.P.: Optimization by simulated annealing. *Science* 220(4598), 671–680 (1983)
469. Klau, G., Ljubić, I., Moser, A., Mutzel, P., Neuner, P., Pferschy, U., Raidl, G., Weiskircher, R.: Combining a memetic algorithm with integer programming to solve the prize-collecting Steiner tree problem. In: [201], pp. 1304–1315 (2004)
470. Kleeman, M.P., Lamont, G.B., Cooney, A., Nelson, T.R.: A multi-tiered memetic multiobjective evolutionary algorithm for the design of quantum cascade lasers. In: Obayashi, S., Deb, K., Poloni, C., Hiroyasu, T., Murata, T. (eds.) *EMO 2007. LNCS*, vol. 4403, pp. 186–200. Springer, Heidelberg (2007)
471. Knowles, J., Corne, D.: A Comparison of Diverse Approaches to Memetic Multiobjective Combinatorial Optimization. In: Wu, A.S. (ed.) *Proceedings of the 2000 Genetic and Evolutionary Computation Conference Workshop Program*, pp. 103–108 (2000)
472. Knowles, J., Corne, D.: M-PAES: A memetic algorithm for multiobjective optimization. In: [112], pp. 325–332 (2000)
473. Knowles, J., Corne, D.W.: Approximating the nondominated front using the pareto archived evolution strategy. *Evolutionary Computation* 8(2), 149–172 (2000)
474. Knowles, J.D., Oates, M., Corne, D.: Advanced multi-objective evolutionary algorithms applied to two problems in telecommunications. *British Telephone Technology Journal* 18(18), 51–65 (2000)
475. Koch, P., Kramer, O., Rudolph, G., Beume, N.: On the hybridization of SMS-EMOA and local search for continuous multiobjective optimization. In: Rothlauf, F. (ed.) *GECCO 2009*, pp. 603–610. ACM Press, Montreal (2009)
476. Koehler, J.R., Owen, A.B.: Computer experiments. In: Ghosh, S., Rao, C.R., Krishniah, P.R. (eds.) *Handbook of Statistics*, pp. 261–308. Elsevier, Amsterdam (1996)
477. Kohonen, T.: *Self-Organizing Maps*. Springer Series in Information Sciences, vol. 30. Springer, Heidelberg (1995)
478. Kolen, A., Pesch, E.: Genetic Local Search in Combinatorial Optimization. *Discrete Applied Mathematics and Combinatorial Operations Research and Computer Science* 48, 273–284 (1994)
479. Komusiewicz, C., Niedermeier, R., Uhlmann, J.: Deconstructing intractability - a multivariate complexity analysis of interval constrained coloring. *J. Discrete Algorithms* 9(1), 137–151 (2011)
480. Konak, A., Smith, A.: A hybrid genetic algorithm approach for backbone design of communication networks. In: [111], pp. 1817–1823 (1999)
481. Kononova, A.V., Hughes, K.J., Pourkashanian, M., Ingham, D.B.: Fitness diversity based adaptive memetic algorithm for solving inverse problems of chemical kinetics. In: [118], pp. 2366–2373 (2007)

482. Koo, W.T., Goh, C.K., Tan, K.C.: A predictive gradient strategy for multiobjective evolutionary algorithms in a fast changing environment. *Journal of Soft Computing* 2, 87–110 (2010)
483. Koza, J.: *Genetic Programming*. MIT Press, Cambridge (1992)
484. Koziel, S., Bandler, J.W., Madsen, K.: A space mapping framework for engineering optimization: theory and implementation. *IEEE Transactions on Microwave Theory and Techniques* 54, 3721–3730 (2006)
485. Krarup, J., Pruzan, P.M.: *Computer-Aided Layout Design*. *Mathematical Programming Study* 9, 75–94 (1978)
486. Krasnogor, N.: Coevolution of genes and memes in memetic algorithms. In: Wu, A. (ed.) *Proceedings of the 1999 Genetic and Evolutionary Computation Conference Workshop Program* (1999)
487. Krasnogor, N.: *Studies in the theory and design space of memetic algorithms*. PhD thesis, University of the West of England (2002)
488. Krasnogor, N.: Self-generating metaheuristics in bioinformatics: The protein structure comparison case. *Genetic Programming and Evolvable Machines* 5(2), 181–201 (2004)
489. Krasnogor, N.: Toward robust memetic algorithms. In: [375], pp. 185–207 (2005)
490. Krasnogor, N., Gustafson, S.: A study on the use of “self-generation” in memetic algorithms. *Natural Computing* 3(1), 53–76 (2004)
491. Krasnogor, N., Smith, J.: A memetic algorithm with self-adaptive local search: TSP as a case study. In: [932], pp. 987–994 (2000)
492. Krasnogor, N., Smith, J.: Emergence of profitable search strategies based on a simple inheritance mechanism. In: [839], pp. 432–439 (2001)
493. Krasnogor, N., Smith, J.: A tutorial for competent memetic algorithms: model, taxonomy, and design issues. *IEEE Transactions on Evolutionary Computation* 9, 474–488 (2005)
494. Krasnogor, N., Smith, J.: Memetic algorithms: The polynomial local search complexity theory perspective. *Journal of Mathematical Modelling and Algorithms* 7(1), 3–24 (2008)
495. Krasnogor, N., Hart, W., Smith, J., Pelta, D.: Protein structure prediction with evolutionary algorithms. In: [42], pp. 1569–1601 (1999)
496. Krasnogor, N., Blackburne, B., Burke, E., Hirst, J.: Multimeme algorithms for protein structure prediction. In: [580], pp. 769–778 (2002)
497. Krokhin, A.A., Marx, D.: On the hardness of losing weight. In: Aceto, L., Damgård, I., Goldberg, L.A., Halldórsson, M.M., Ingólfssdóttir, A., Walukiewicz, I. (eds.) *ICALP 2008, Part I*. LNCS, vol. 5125, pp. 662–673. Springer, Heidelberg (2008)
498. Kumar, D., Kumar, S., Rai, C.S.: Memetic algorithms for feature selection in face recognition. In: *International Conference on Hybrid Intelligent Systems*, pp. 931–934. IEEE Computer Society, Los Alamitos (2008)
499. Kumarappan, N., Mohan, M.: Hybrid genetic algorithm based fuel restricted real power optimization for utility system. In: [114], pp. 1294–1301 (2003)
500. Laguna, M., Martí, R.: *Scatter Search. Methodology and Implementations in C*. Kluwer Academic Publishers, Boston (2003)
501. Lancia, G.: *Mathematical programming in computational biology: an annotated bibliography*. *Algorithms* 1(2), 100–129 (2008)
502. Lancia, G., Carr, R., Walenz, B., Istrail, S.: 101 optimal pdb structure alignments: a branch-and-cut algorithm for the maximum contact map overlap problem. In: *Fifth Annual International Conference on Computational Molecular Biology, RECOMB*, pp. 193–202. ACM Press, New York (2001)

503. Land, M.W.S.: Evolutionary algorithms with local search for combinatorial optimization. PhD thesis, University of California, San Diego, CA (1998)
504. Langdon, W.B., et al. (eds.): Genetic and Evolutionary Computation Conference – GECCO 2002. Morgan Kaufmann, New York (2002)
505. Lapedes, A., Farber, R.: A self-optimizing, nonsymmetrical neural net for content addressable memory and pattern recognition. *Physica D: Nonlinear Phenomena* 22(1-3), 247–259 (1986)
506. Laughunn, D.J.: Quadratic Binary Programming. *Operations Research* 14, 454–461 (1970)
507. Lawler, E., Wood, D.: Branch and bounds methods: A survey. *Operations Research* 4(4), 669–719 (1966)
508. Lawler, E., Lenstra, J., Kan, A.R., Shmoys, D.: *The Travelling Salesman Problem: A Guided Tour of Combinatorial Optimization*. Wiley Interscience, Chichester (1985)
509. Lawrence, S.: Resource constrained project scheduling: an experimental investigation of heuristic scheduling techniques (supplement). Tech. rep., Graduate School of Industrial Administration, Carnegie-Mellon University, Pittsburgh, Pennsylvania (1984)
510. Le, M.N., Ong, Y.S., Jin, Y., Sendhoff, B.: Lamarckian memetic algorithms: local optimum and connectivity structure analysis. *Memetic Computing* 1(3), 175–190 (2009)
511. Lehre, P.K., Yao, X.: On the impact of the mutation-selection balance on the runtime of evolutionary algorithms. In: Jansen, T., Garibay, I., Wiegand, R.P., Wu, A.S. (eds.) *Tenth ACM SIGEVO Workshop on Foundations of Genetic Algorithms (FOGA 2009)*, pp. 47–58. ACM, New York (2009)
512. Lepistö, T., Salomaa, A. (eds.): *ICALP 1988*. LNCS, vol. 317. Springer, Heidelberg (1988)
513. Leskinen, J., Neri, F., Neittaanmäki, P.: Memetic variation local search vs. life-time learning in electrical impedance tomography. In: Giacobini, M., Brabazon, A., Cagnoni, S., Di Caro, G.A., Ekárt, A., Esparcia-Alcázar, A.I., Farooq, M., Fink, A., Machado, P. (eds.) *EvoWorkshops 2009*. LNCS, vol. 5484, pp. 615–624. Springer, Heidelberg (2009)
514. Levine, J., Ducatelle, F.: Ant colony optimisation and local search for bin packing and cutting stock problems. *Journal of the Operational Research Society* 55(7), 705–716 (2004)
515. Li, B., Ong, Y.S., Le, M.N., Goh, C.K.: Memetic gradient search. In: [119], pp. 2894–2901 (2008)
516. Li, H., Zhang, Q.: Multiobjective optimization problems with complicated pareto sets, MOEA/D and NSGA-II. *IEEE Transactions on Evolutionary Computation* 13(2), 284–302 (2009)
517. Li, X., Li, B.: Synthesis of the shaped-beam array antennas using hybrid genetic algorithm. In: *International Symposium on Antennas, Propagation and EM Theory*, pp. 155–157 (2008)
518. Li, X., Liang, X.M.: A hybrid adaptive evolutionary algorithm for constrained optimization. In: *Third International Conference on Intelligent Information Hiding and Multimedia Signal Processing*, vol. 2, pp. 338–341 (2007)
519. Liang, Y., Leung, K.S., Mok, T.S.K.: Evolutionary drug scheduling model for cancer chemotherapy. In: [201], pp. 1126–1137 (2004)
520. Liang, Y., Leung, K.S., Mok, T.S.K.: Evolutionary drug scheduling models with different toxicity metabolism in cancer chemotherapy. *Applied Soft Computing* 8(1), 140–149 (2008)

521. Lim, D., Ong, Y.S., Lim, M.H., Jin, Y.: Single/Multi-objective inverse robust evolutionary design methodology in the presence of uncertainty. In: Yang, S., Ong, Y.S., Jin, Y. (eds.) *Evolutionary Computation in Dynamic and Uncertain Environments*. Studies in Computational Intelligence, vol. 51, pp. 437–456. Springer, Heidelberg (2007)
522. Lim, D., Jin, Y., Ong, Y.S., Sendhoff, B.: Generalizing surrogate-assisted evolutionary computation. *IEEE Transactions on Evolutionary Computation* 14(3), 329–355 (2010)
523. Lin, S.: Computer solutions of the traveling salesman problem. *The Bell System Technical Journal* 44(10), 2245–2269 (1965)
524. Lin, S., Kernighan, B.: An Effective Heuristic Algorithm for the Traveling Salesman Problem. *Operations Research* 21, 498–516 (1973)
525. Lin, S.C., Goodman, E.D., Punch, W.F.: A genetic algorithm approach to dynamic job shop scheduling problems. In: [33], pp. 481–488 (1997)
526. Linhart, H., Zucchini, W.: *Model Selection*. Wiley Series in Probability and Mathematical Statistics. Wiley-Interscience Publication, Hoboken (1986)
527. Liu, B., Ma, H., Zhang, X., Zhou, Y.: A memetic co-evolutionary differential evolution algorithm for constrained optimization. In: [118], pp. 2996–3002 (2007)
528. Liu, B.F., Chen, J.H., Hwang, S.F., Ho, S.Y.: MeSwarm: Memetic particle swarm optimization. In: Beyer, H.G., O'Reilly, U.M. (eds.) *GECCO 2005*, pp. 267–268. ACM Press, Washington DC (2005)
529. Liu, X., Wu, Y., Duan, J.: Optimal sizing of a series hybrid electric vehicle using a hybrid genetic algorithm. In: *IEEE International Conference on Automation and Logistics*, pp. 1125–1129. IEEE Press, Los Alamitos (2007)
530. Lo, C.C., Chang, W.H.: A multiobjective hybrid genetic algorithm for the capacitated multipoint network design problem. In: *IEEE International Conference on Communications*, vol. 3, pp. 1573–1576. IEEE Press, Los Alamitos (1999)
531. Lo, C.C., Chang, W.H.: A multiobjective hybrid genetic algorithm for the capacitated multipoint network design problem. *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 30(3), 461–470 (2000)
532. Lodi, A., Allemand, K., Liebling, T.M.: An Evolutionary Heuristic for Quadratic 0–1 Programming. *European Journal of Operational Research* 119, 662–670 (1999)
533. Lourenço, H.R., Martin, O., Stützle, T.: Iterated Local Search. In: [315], pp. 321–353 (2003)
534. Lozano, J.A., Larrañaga, P., Inza, I., Bengoetxea, E.: Towards a New Evolutionary Computation. In: *Advances on Estimation of Distribution Algorithms*. Studies in Fuzziness and Soft Computing, vol. 192, Springer, Heidelberg (2006)
535. Lozano, M., García-Martínez, C.: Hybrid metaheuristics with evolutionary algorithms specializing in intensification and diversification: Overview and progress report. *Computers & Operations Research* 37(3), 481–497 (2010)
536. Lozano, M., Herrera, F., Krasnogor, N., Molina, D.: Real-coded memetic algorithms with crossover hill-climbing. *Evolutionary Computation* 12(3), 273–302 (2004)
537. Lü, Z., Hao, J.K.: A memetic algorithm for graph coloring. *European Journal of Operational Research* 200(1), 235–244 (2010)
538. Lü, Z., Glover, F., Hao, J.K.: A hybrid metaheuristic approach to solving the ubqp problem. *European Journal of Operational Research* 207(3), 1254–1262 (2010)
539. Lü, Z., Hao, J.K., Glover, F.: Neighborhood analysis: a case study on curriculum-based course timetabling. *Journal of Heuristics* 17(2), 97–118 (2010)
540. Luersena, M.A., Le Riche, R.: Globalized Nelder–Mead method for engineering optimization. *Computers & Structures* 82(23–26), 2251–2260 (2004)

541. Luke, S., Spector, L.: Evolving teamwork and coordination with genetic programming. In: Koza, J., Goldberg, D., Fogel, D., Riolo, R. (eds.) 1st Annual Conference on Genetic Programming, pp. 141–149. MIT Press, Cambridge (1996)
542. Lust, T., Jaskiewicz, A.: Speed-up techniques for solving large-scale biobjective TSP. *Computers and Operations Research* 37, 521–533 (2010)
543. MacQueen, J.B.: Some methods for classification and analysis of multivariate observations. In: Proceedings of 5th Berkeley Symposium on Mathematical Statistics and Probability, pp. 281–297 (1967)
544. Madych, W.R.: Miscellaneous error bounds for multiquadric and related interpolators. *Computers and Mathematics with Applications* 24(12), 121–138 (1992)
545. Mahata, P., Costa, W., Cotta, C., Moscato, P.: Hierarchical clustering, languages and cancer. In: [779], pp. 67–78 (2006)
546. Mahfoud, S.W.: Crowding and preselection revisited. In: [551], pp. 27–36 (1992)
547. Mahfoud, S.W.: Niching methods. In: Bäck, T., Fogel, D.B., Michalewicz, Z. (eds.) *Handbook of Evolutionary Computation*, pp. C6.1:1–C6.1:4. Institute of Physics Publishing and Oxford University Press, Bristol (1997)
548. Mak, K.T., Morton, A.J.: Distances between Traveling Salesman Tours. *Discrete Applied Mathematics and Combinatorial Operations Research and Computer Science* 58, 281–291 (1995)
549. Malaguti, E., Monaci, M., Toth, P.: A metaheuristic approach for the vertex coloring problem. *INFORMS Journal on Computing* 20(2), 302–316 (2008)
550. Mallipeddi, R., Suganthan, P.N.: Problem definitions and evaluation criteria for the CEC, competition and special session on single objective constrained real-parameter optimization. Tech. rep., Nanyang Technological University, Singapore (2009)
551. Männer, R., Manderick, B. (eds.): *Parallel Problem Solving from Nature II*. Elsevier, Brussels (1992)
552. Mariano, A., Norman, M., Moscato, P.: Arbitrarily large planar ETSP instances with known optimal tours. *Pesquisa Operacional* 15(1,2), 89–96 (1995)
553. Mariano, A., Norman, M., Moscato, P.: Using L-systems to generate arbitrarily large instances of the euclidean traveling salesman problem with known optimal tours. In: XXVII Simposio Brasileiro de Pesquisa Operacional, Sociedade Brasileira de Pesquisa Operacional, Rio de Janeiro (1995)
554. Marida, K., Marshall, R.: Maximum likelihood estimation of models for residual covariance in spatial regression. *Biometrika* 71(1), 135–146 (1984)
555. Marinakis, Y., Marinaki, M.: A hybrid genetic - particle swarm optimization algorithm for the vehicle routing problem. *Expert Systems with Applications* 37(2), 1446–1455 (2010)
556. Marinakis, Y., Migdalas, A., Pardalos, P.M.: A Hybrid Genetic–GRASP Algorithm Using Lagrangean Relaxation for the Traveling Salesman Problem. *Journal of Combinatorial Optimization* 10(4), 311–326 (2005)
557. Martin, J.D., Simpson, T.W.: Use of Kriging models to approximate deterministic computer models. *AIAA Journal* 43(4), 853–863 (2005)
558. Martins, F.V.C., Carrano, E.G., Wanner, E.F., Takahashi, R.H.C., Mateus, G.R.: A dynamic multiobjective hybrid approach for designing wireless sensor networks. In: [120], pp. 1145–1152 (2009)
559. Marx, D.: Local search. *Parameterized Complexity News* 3, 7–8 (2008)
560. Marx, D.: Searching the k -change neighborhood for TSP is $W[1]$ -hard. *Oper. Res. Lett.* 36(1), 31–36 (2008)

561. Marx, D., Schlotter, I.: Stable assignment with couples: parameterized complexity and local search. In: Chen, J., Fomin, F.V. (eds.) IWPEC 2009. LNCS, vol. 5917, pp. 300–311. Springer, Heidelberg (2009)
562. Marx, D., Schlotter, I.: Parameterized complexity and local search approaches for the stable marriage problem with ties. *Algorithmica* 58(1), 170–187 (2010)
563. Marx, D., Schlotter, I.: Stable assignment with couples: Parameterized complexity and local search. *Discrete Optimization* 8(1), 25–40 (2011)
564. Mashohor, S., Evans, J., Arslan, T.: Image registration of printed circuit boards using hybrid genetic algorithm. In: [117], pp. 2685–2690 (2006)
565. Mathias, K., Whitley, D.: Genetic Operators, the Fitness Landscape and the Traveling Salesman Problem. In: [551], pp. 219–228 (1992)
566. Mathias, K., Whitley, L., Stork, C., Kusuma, T.: Staged hybrid genetic search for seismic data imaging. In: IEEE Conference on Evolutionary Computation, vol. 1, pp. 356–361. IEEE Press, Los Alamitos (1994)
567. Mathieson, L.: The parameterized complexity of editing graphs for bounded degeneracy. *Theor. Comput. Sci.* 411(34–36), 3181–3187 (2010)
568. May, A., Johnson, M.: Protein-structure comparisons using a combination of a genetic algorithm, dynamic-programming and least-squares minimization. *Protein Engineering* 7(4), 475–485 (1994)
569. Maynard-Smith, J.: *The Evolution of Sex*. Cambridge University Press, Cambridge (1978)
570. Maynard-Smith, J., Száthmary, E.: *The Major transitions in evolution*. W.H. Freeman, New York (1995)
571. McBride, R.D., Yorlmark, J.S.: An Implicit Enumeration Algorithm for Quadratic Integer Programming. *Management Science* 26(3), 282–296 (1980)
572. Menczer, F., Parisi, D.: Evidence of hyperplanes in the genetic learning of neural networks. *Biological Cybernetics* 66, 283–289 (1992)
573. Mendes, A., Franca, P., Moscato, P.: Fitness landscapes for the total tardiness single machine scheduling problem. *Neural Network World* 2(2), 165–180 (2002)
574. Mendes, A., França, P.M., Moscato, P., Garcia, V.: Population studies for the gate matrix layout problem. In: Garljo, F.J., Riquelme, J.-C., Toro, M. (eds.) IBERAMIA 2002. LNCS (LNAI), vol. 2527, pp. 319–339. Springer, Heidelberg (2002)
575. Mendes, A., Muller, F., Franca, P., Moscato, P.: Comparing meta-heuristic approaches for parallel machine scheduling problems. *Production Planning & Control* 13(2), 143–154 (2002)
576. Mendes, A., Cotta, C., Garcia, V., França, P., Moscato, P.: Gene ordering in microarray data using parallel memetic algorithms. In: Skie, T., Yang, C.S. (eds.) 2005 International Conference on Parallel Processing Workshops, pp. 604–611. IEEE Press, Oslo (2005)
577. Mendes, A., Scott, R., Moscato, P.: Microarrays - identifying molecular portraits for prostate tumors with different gleason patterns. In: Trent, R. (ed.) *Clinical Bioinformatics - Methods in Molecular Medicine*, *Methods in Molecular Medicine*, vol. 141, pp. 131–151. Humana Press (2007)
578. Mendes, A.S., França, P.M., Moscato, P.: Fitness landscapes for the total tardiness single machine scheduling problem. *Neural Network World* 2(2), 165–180 (2002)
579. Mendoza, J.E., Castanier, B., Guéret, C., Medaglia, A.L., Velasco, N.: A memetic algorithm for the multi-compartment vehicle routing problem with stochastic demands. *Computers & Operations Research* 37(11), 1886–1898 (2010), metaheuristics for Logistics and Vehicle Routing

580. Guervós, J.J.M., Adamidis, P.A., Beyer, H.-G., Fernández-Villacañes, J.-L., Schwefel, H.-P. (eds.): PPSN 2002. LNCS, vol. 2439. Springer, Heidelberg (2002)
581. Merz, P.: Memetic algorithms for combinatorial optimization problems: Fitness landscapes and effective search strategies. PhD thesis, University of Siegen, Germany (2000)
582. Merz, P.: NK-Fitness Landscapes and Memetic Algorithms with Greedy Operators and k-opt Local Search. In: Krasnogor, N. (ed.) Proceedings of the Third International Workshop on Memetic Algorithms, WOMA III (2002)
583. Merz, P.: Advanced fitness landscape analysis and the performance of memetic algorithms. *Evolutionary Computation* 12(3), 303–326 (2004)
584. Merz, P., Freisleben, B.: Genetic Local Search for the TSP: New Results. In: Bäck, T., Michalewicz, Z., Yao, X. (eds.) Proceedings of the 1997 IEEE International Conference on Evolutionary Computation, pp. 159–164. IEEE Press, Piscataway (1997)
585. Merz, P., Freisleben, B.: Fitness landscapes and memetic algorithm design. In: [145], pp. 245–260 (1999)
586. Merz, P., Freisleben, B.: Genetic Algorithms for Binary Quadratic Programming. In: [42], pp. 417–424 (1999)
587. Merz, P., Freisleben, B.: Fitness Landscape Analysis and Memetic Algorithms for the Quadratic Assignment Problem. *IEEE Transactions on Evolutionary Computation* 4(4), 337–352 (2000)
588. Merz, P., Freisleben, B.: Memetic Algorithms for the Traveling Salesman Problem. *Complex Systems* 13(4), 297–345 (2001)
589. Merz, P., Freisleben, B.: Greedy and Local Search Heuristics for Unconstrained Binary Quadratic Programming. *Journal of Heuristics* 8(2), 197–213 (2002)
590. Merz, P., Huhse, J.: An Iterated Local Search Approach for Finding Provably Good Solutions for Very Large TSP Instances. In: [781], pp. 929–939 (2008)
591. Merz, P., Katayama, K.: Memetic Algorithms for the Unconstrained Binary Quadratic Programming Problem. *Bio Systems* 78(1-3), 99–118 (2004)
592. Merz, P., Zell, A.: Clustering gene expression profiles with memetic algorithms. In: [580], pp. 811–820 (2002)
593. Mezard, M., Virasoro, M.: The microstructure of ultrametricity. *Journal de Physique* 46(8), 1293–1307 (1985)
594. Mezard, M., Parisi, G., Virasoro, M.: Spin glass theory and beyond. World Scientific, Singapore (1987)
595. Michalewicz, Z.: A hierarchy of evolution programs: An experimental study. *Evolutionary Computation* 1(1), 51–76 (1993)
596. Michalewicz, Z.: Genetic Algorithms + Data Structures = Evolution Programs. Springer, Heidelberg (1996)
597. Michalewicz, Z., Schoenauer, M.: Evolutionary Algorithms for Constrained Parameter Optimization Problems. *Evolutionary Computation* 4(1), 1–32 (1996)
598. Michiels, W., Aarts, E., Korst, J.: Theoretical Aspects of Local Search. Springer, Heidelberg (2007)
599. Miettinen, K.: Nonlinear Multiobjective Optimization. International Series in Operations Research and Management Science, vol. 12. Kluwer, Dordrecht (1999)
600. Miller, G.F., Todd, P.M., Hegde, S.U.: Designing neural networks using genetic algorithms. In: [794], pp. 379–384 (1989)
601. Mininno, E., Neri, F.: A memetic differential evolution approach in noisy optimization. *Journal of Memetic Computing* 2, 111–135 (2010)
602. Mira, J., Álvarez, J.R. (eds.): IWINAC 2005. LNCS, vol. 3562. Springer, Heidelberg (2005)

603. Mitchell, T.J., Morris, M.D.: Bayesian design and analysis of computer experiments: Two examples. *Statistica Sinica* 2, 359–379 (1992)
604. Mladenović, N., Hansen, P.: Variable neighborhood search. *Computers & OR* 24(11), 1097–1100 (1997)
605. Molina, D., Herrera, F., Lozano, M.: Adaptive local search parameters for real-coded memetic algorithms. In: [116], pp. 888–895 (2005)
606. Molina, D., Lozano, M., Herrera, F.: Memetic algorithms for intense continuous local search methods. In: [69], pp. 58–71 (2008)
607. Molina, D., Lozano, M., Herrera, F.: Study of the influence of the local search method in memetic algorithms for large scale continuous optimization problems. In: Stützle, T. (ed.) *LION 3. LNCS*, vol. 5851, pp. 221–234. Springer, Heidelberg (2009)
608. Molina, D., Lozano, M., García-Martínez, C., Herrera, F.: Memetic algorithms for continuous optimization based on local search chains. *Evolutionary Computation* 18(1), 1–37 (2010)
609. Montes de Oca, M.A., Van den Eenden, K., Stützle, T.: Incremental particle swarm-guided local search for continuous optimization. In: [69], pp. 72–86 (2008)
610. Morgan, B.W.: *An Introduction to Bayesian Statistical Decision Processes*. Prentice-Hall, Englewood Cliffs (1968)
611. Mori, H., Yoshida, T.: Probabilistic distribution network expansion planning with multi-objective memetic algorithm. In: *IEEE Canada Electric Power Conference*, pp. 1–6. IEEE Press, Los Alamitos (2008)
612. Morris, G., Goodsell, D., Halliday, R., Huey, R., Hart, W., Belew, R.: AJOlson Automated docking using a lamarckian genetic algorithm and an empirical binding free energy function. *Journal of Computational Chemistry* 19(14), 1639–1662 (1998)
613. Morrison, R., De Jong, K.: A test problem for nonstationary environments. In: [111], pp. 2047–2053 (1999)
614. Morrison, R., De Jong, K.: Measurement of population diversity. In: [137], pp. 31–41 (2002)
615. Moscato, P.: On evolution, search, optimization, genetic algorithms and martial arts: Toward memetic algorithms. Tech. Rep. 826, California Institute of Technology (1989)
616. Moscato, P.: An Introduction to Population Approaches for Optimization and Hierarchical Objective Functions: The Role of Tabu Search. *Annals of Operations Research* 41(1–4), 85–121 (1993)
617. Moscato, P.: Memetic algorithms: a short introduction. In: [145], pp. 219–234 (1999)
618. Moscato, P., Cotta, C.: A gentle introduction to memetic algorithms. In: [315], pp. 105–144 (2003)
619. Moscato, P., Cotta, C.: Memetic algorithms. In: González, T. (ed.) *Handbook of Approximation Algorithms and Metaheuristics*, ch. 22. Taylor & Francis, Abington (2006)
620. Moscato, P., Cotta, C.: A modern introduction to memetic algorithms. In: Gendreau, M., Potvin, J.Y. (eds.) *Handbook of Metaheuristics*, 2nd edn. International Series in Operations Research and Management Science, vol. 146, pp. 141–183. Springer, New York (2010)
621. Moscato, P., Norman, M.: A competitive and cooperative approach to complex combinatorial search. Tech. Rep. 790, Caltech Concurrent Computation Program (1989)
622. Moscato, P., Norman, M.G.: A “Memetic” Approach for the Traveling Salesman Problem Implementation of a Computational Ecology for Combinatorial Optimization on Message-passing Systems. In: Valero, M., Onate, E., Jane, M., Larriba, J.L., Suarez, B. (eds.) *Parallel Computing and Transputer Applications*, pp. 177–186. IOS Press, Amsterdam (1992)

623. Moscato, P., Norman, M.G.: On the performance of heuristics on finite and infinite fractal instances of the euclidean traveling salesman problem. *INFORMS Journal on Computing* 10(2), 121–132 (1998)
624. Moscato, P., Schaerf, A.: Local search techniques for scheduling problems. Notes of the tutorial given at the 13th European Conference on Artificial Intelligence, ECAI 1998 (1998)
625. Moscato, P., Tinetti, F.: Blending heuristics with a population-based approach: A memetic algorithm for the traveling salesman problem. Report 92-12, Universidad Nacional de La Plata, C.C. 75, La Plata, Argentina (1992)
626. Moscato, P., Cotta, C., Mendes, A.: Memetic algorithms. In: [692], pp. 53–85 (2004)
627. Moscato, P., Mendes, A., Cotta, C.: Scheduling and production & control. In: [692], pp. 655–680 (2004)
628. Moscato, P., Mendes, A., Linhares, A.: VLSI design: Gate matrix layout problem. In: [692], pp. 455–478 (2004)
629. Moscato, P., Berretta, R., Hourani, M., Mendes, A., Cotta, C.: Genes related with alzheimer’s disease: A comparison of evolutionary search, statistical and integer programming approaches. In: Rothlauf, F., Branke, J., Cagnoni, S., Corne, D.W., Drechsler, R., Jin, Y., Machado, P., Marchiori, E., Romero, J., Smith, G.D., Squillero, G. (eds.) *EvoWorkshops 2005*. LNCS, vol. 3449, pp. 84–94. Springer, Heidelberg (2005)
630. Moscato, P., Berretta, R., Mendes, A.: A new memetic algorithm for ordering datasets: Applications in microarray analysis. In: *Proceedings of MIC 2005 - The 6th Metaheuristics International Conference*, Vienna, Austria, pp. 695–700 (2005)
631. Moscato, P., Mendes, A., Berretta, R.: Benchmarking a memetic algorithm for ordering microarray data. *Biosystems* 88(1-2), 56–75 (2007)
632. Moscato, P., Berretta, R., Cotta, C.: *Memetic algorithms*. In: *Wiley Encyclopedia of Operations Research and Management Science*. Wiley, Chichester (2011)
633. Moser, I., Chiong, R.: A hooke-jeeves based memetic algorithm for solving dynamic optimisation problems. In: Corchado, E., Wu, X., Oja, E., Herrero, Á., Baruque, B. (eds.) *HAIS 2009*. LNCS, vol. 5572, pp. 301–309. Springer, Heidelberg (2009)
634. Moser, I., Chiong, R.: Dynamic function optimisation with hybridised extremal dynamics. *Journal of Memetic Computing* 2, 137–148 (2010)
635. Moser, I., Hendtlass, T.: A simple and efficient multi-component algorithm for solving dynamic function optimisation problems. In: [118], pp. 252–259 (2007)
636. Mühlenbein, H., Gorges-Schleuter, M., Krämer, O.: Evolution algorithms in combinatorial optimization. *Parallel Computing* 7, 65–88 (1988)
637. Mühlenbein, H.: Parallel Genetic Algorithms, Population Genetics and Combinatorial Optimization. In: [794], pp. 416–421 (1989)
638. Mühlenbein, H.: Evolution in Time and Space – The Parallel Genetic Algorithm. In: Rawlins, G.J.E. (ed.) *Foundations of Genetic Algorithms*. Morgan Kaufmann, San Francisco (1991)
639. Mühlenbein, H., Schlierkamp-Voosen, D.: Predictive models for the breeder genetic algorithm, I: Continuous parameter optimization. *Evolutionary Computation* 1(1), 25–49 (1993)
640. Mühlenbein, H., Schomisch, M., Born, J.: The parallel genetic algorithm as function optimizer. In: [56], pp. 271–278 (1991)
641. Müller, A., Schneider, J., Schömer, E.: Packing a multidisperse system of hard disks in a circular environment. *Physical Review E* 79(021102) (2009)
642. Müller, A., Schneider, J., Schömer, E.: Ultrametricity property of energy landscapes of multidisperse packing problems. *Physical Review E* 79(031122) (2009)

643. Müller, C.L., Baumgartner, B., Sbalzarini, I.F.: Particle swarm CMA evolution strategy for the optimization of multi-funnel landscapes. In: [120], pp. 2685–2692 (2009)
644. Müller, H., Urner, R.: On a disparity between relative cliquewidth and relative nlcwidth. *Discrete Applied Mathematics* 158(7), 828–840 (2010)
645. Murata, T., Ishibuchi, H., Tanaka, H.: Genetic algorithms for flowshop scheduling problems. *Computers & Industrial Engineering* 30(4), 1061–1071 (1996)
646. Myers, R.H., Montgomery, D.C.: *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*. John Wiley and Sons, Chichester (1995)
647. Nagata, Y.: New EAX Crossover for Large TSP Instances. In: [783], pp. 372–381 (2006)
648. Nagata, Y., Kobayashi, S.: Edge assembly crossover: a high-power genetic algorithm for the travelling salesman problem. In: [33], pp. 450–457 (1997)
649. Nakano, R., Yamada, T.: Conventional genetic algorithm for job shop problems. In: [56], pp. 474–479 (1991)
650. Nannen, V., Eiben, A.: A method for parameter calibration and relevance estimation in evolutionary algorithms. In: [110], pp. 183–190 (2006)
651. Nannen, V., Eiben, A.E.: Relevance estimation and value calibration of evolutionary algorithm parameters. In: Veloso, M.M. (ed.) *20th International Joint Conference on Artificial Intelligence (IJCAI)*, Hyderabad, India, pp. 1034–1039. AAAI Press, Menlo Park (2007)
652. Nebro, A.J., Durillo, J.J.: A study of the parallelization of the multi-objective metaheuristic MOEA/D. In: Blum, C., Battiti, R. (eds.) *LION 4*. LNCS, vol. 6073, pp. 303–317. Springer, Heidelberg (2010)
653. Nelder, A., Mead, R.: A simplex method for function optimization. *Computation Journal* 7, 308–313 (1965)
654. Nemhauser, G., Wolsey, L.: *Integer and Combinatorial Optimization*. John Wiley & Sons, Chichester (1988)
655. Neri, F., Mininno, E.: Memetic compact differential evolution for cartesian robot control. *IEEE Computational Intelligence Magazine* 5(2), 54–65 (2010)
656. Neri, F., Kotilainen, N., Vapa, M.: An Adaptive Global-Local Memetic Algorithm to Discover Resources in P2P Networks. In: Giacobini, M. (ed.) *EvoWorkshops 2007*. LNCS, vol. 4448, pp. 61–70. Springer, Heidelberg (2007)
657. Neri, F., Tirronen, V., Kärkkäinen, T., Rossi, T.: Fitness diversity based adaptation in multimeme algorithms: A comparative study. In: [118], pp. 2374–2381 (2007)
658. Neri, F., Toivanen, J., Cascella, G.L., Ong, Y.S.: An adaptive multimeme algorithm for designing HIV multidrug therapies. *IEEE/ACM Transactions on Computational Biology and Bioinformatics* 4(2), 264–278 (2007)
659. Neri, F., Toivanen, J., Mäkinen, R.A.E.: An adaptive evolutionary algorithm with intelligent mutation local searchers for designing multidrug therapies for HIV. *Applied Intelligence* 27(3), 219–235 (2007)
660. Neri, F., Kotilainen, N., Vapa, M.: A memetic-neural approach to discover resources in P2P networks. In: Cotta, C., van Hemert, J. (eds.) *Recent Advances in Evolutionary Computation for Combinatorial Optimization*. Studies in Computational Intelligence, vol. 153, pp. 113–129. Springer, Heidelberg (2008)
661. Neumann, F., Sudholt, D., Witt, C.: Rigorous analyses for the combination of ant colony optimization and local search. In: Dorigo, M., Birattari, M., Blum, C., Clerc, M., Stützle, T., Winfield, A.F.T. (eds.) *ANTS 2008*. LNCS, vol. 5217, pp. 132–143. Springer, Heidelberg (2008)

662. Ngueveu, S.U., Prins, C., Calvo, R.W.: An effective memetic algorithm for the cumulative capacitated vehicle routing problem. *Computers & Operations Research* 37(11), 1877–1885 (2010)
663. Nguyen, H.D., Yoshihara, I., Yamamori, K., Yasunaga, M.: A New Three-Level Tree Data Structure for Representing TSP Tours in the Lin-Kernighan Heuristic. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences* E90-A(10), 2187–2193 (2007)
664. Nguyen, H.D., Yoshihara, I., Yamamori, K., Yasunaga, M.: Implementation of an Effective Hybrid GA for Large-Scale Traveling Salesman Problems. *IEEE Transactions on Systems, Man and Cybernetics, Part B* 37(1), 92–99 (2007)
665. Nguyen, Q.H., Ong, Y.S., Krasnogor, N.: A study on the design issues of memetic algorithm. In: [118], pp. 2390–2397 (2007)
666. Niedermeier, R.: *Invitation to Fixed Parameter Algorithms*. Oxford Lecture Series in Mathematics and Its Applications. Oxford University Press, Oxford (2006)
667. Niedermeier, R., Rossmanith, P.: A general method to speed up fixed-parameter-tractable algorithms. *Information Processing Letters* 73, 125–129 (2000)
668. Nilsson, R., Björkegren, J., Tegnér, J.: On reliable discovery of molecular signatures. *BMC Bioinformatics* 10(38) (2009)
669. Nixon, K.C.: The parsimony ratchet, a new method for rapid parsimony analysis. *Cladistics* 15, 407–414 (1999)
670. Nobuhara, H., Han, C.W.: Evolutionary computation schemes based on max plus algebra and their application to image processing. In: *International Symposium on Intelligent Signal Processing and Communications*, pp. 538–541 (2006)
671. Noman, N., Iba, H.: Inferring gene regulatory networks using differential evolution with local search heuristics. *IEEE/ACM Transactions on Computational Biology and Bioinformatics* 4(4), 634–647 (2007)
672. Nonobe, K., Ibaraki, T.: A tabu search approach for the constraint satisfaction problem as a general problem solver. *European Journal of Operational Research* 106(2-3), 599–623 (1998)
673. Norman, M., Moscato, P.: *A competitive-cooperative approach to complex combinatorial search*. Tech. Rep. 790, California Institute of Technology (1989)
674. Norman, M., Moscato, P.: The euclidean traveling salesman problem and a space-filling curve. *Chaos, Solitons and Fractals* 6, 389–397 (1995)
675. Norman, M.G., Thanisch, P.: Models of machines and computation for mapping in multicomputers. *ACM Comput. Surv.* 25(3), 263–302 (1993)
676. Norman, M.G., Pelagatti, S., Thanisch, P.: On the complexity of scheduling with communication delay and contention. *Parallel Processing Letters* 5, 331–341 (1995)
677. Oakley, M., Barthel, D., Bykov, Y., Garibaldi, J., Burke, E., Krasnogor, N., Hirst, J.: Search strategies in structural bioinformatics. *Current Protein and Peptide Science* 9(3), 260–274 (2008)
678. Okushi, F.: Parallel cooperative propositional theorem proving. *Annals of Mathematics and Artificial Intelligence* 26(1-4), 59–85 (1999)
679. Ong, Y., Lum, K., Nair, P., Shi, D., Zhang, Z.: Global convergence of unconstrained and bound constrained surrogate-assisted evolutionary search in aerodynamic shape design. In: [114], pp. 1856–1863 (2003)
680. Ong, Y.S., Keane, A.J.: Meta-lamarckian learning in memetic algorithms. *IEEE Transactions on Evolutionary Computation* 8(2), 99–110 (2004)
681. Ong, Y.S., Nair, P.B., Keane, A.J.: Evolutionary optimization of computationally expensive problems via surrogate modeling. *AIAA Journal* 41(4), 687–696 (2003)

682. Ong, Y.S., Nair, P.B., Keane, A.J., Wong, K.W.: Surrogate-assisted evolutionary optimization frameworks for high-fidelity engineering design problems. In: Jin, Y. (ed.) *Knowledge Incorporation in Evolutionary Computation*, pp. 307–331. Springer, Berlin (2004)
683. Ong, Y.S., Lim, M.H., Zhu, N., Wong, K.W.: Classification of adaptive memetic algorithms: A comparative study. *IEEE Transactions On Systems, Man and Cybernetics - Part B* 36(1), 141–152 (2006)
684. Ong, Y.S., Nair, P.B., Lum, K.Y.: Max-min surrogate-assisted evolutionary algorithm for robust aerodynamic design. *IEEE Transactions on Evolutionary Computation* 10(4), 392–404 (2006)
685. Ong, Y.S., Zhou, Z., Lim, D.: Curse and blessing of uncertainty in evolutionary algorithm using approximation. In: [117], pp. 2928–2935 (2006)
686. Ong, Y.S., Krasnogor, N., Ishibuchi, H.: Special issue on memetic algorithms. *IEEE Transactions on Systems Man and Cybernetics-part B* 37(1) (2007)
687. Ong, Y.S., Lum, K.Y., Nair, P.B.: Hybrid evolutionary algorithm with Hermite radial basis function interpolants for computationally expensive adjoint solvers. *Journal Computational Optimization and Applications* 39(1), 97–119 (2008)
688. Ong, Y.S., Lim, M.H., Neri, F., Ishibuchi, H.: Special issue on emerging trends in soft computing–memetic algorithms. *Journal of Soft Computing* 13(8-9) (2009)
689. Ong, Y.S., Lim, M.H., Chen, X.: Memetic computation–past, present and future. *IEEE Computational Intelligence Magazine* 5(2), 24–31 (2010)
690. Ono, S., Hirotani, Y., Nakayama, S.: A memetic algorithm for robust optimal solution search–hybridization of multi-objective genetic algorithm and quasi-newton method. *International Journal of Innovative Computing, Information and Control* 5(12B), 5011–5019 (2009)
691. Ono, S., Yoshitake, Y., Nakayama, S.: Robust optimization using multi-objective particle swarm optimization. *Artificial Life and Robotics* 14(2) (2009)
692. Onwubolu, G., Babu, B. (eds.): *New Optimization Techniques in Engineering. Studies in Fuzziness and Soft Computing*, vol. 141. Springer, Berlin (2004)
693. Orantek, P.: Hybrid evolutionary algorithms in optimization of structures under dynamical loads. In: Burczyński, T., Osyczka, A. (eds.) *IUTAM Symposium on Evolutionary Methods in Mechanics, Solid Mechanics and Its Applications*, vol. 117, pp. 297–308. Springer, Heidelberg (2004)
694. Osman, I., Laporte, G.: Metaheuristics: A bibliography. *Annals of Operations Research* 65, 513–623 (1996)
695. Ozcan, E., Mohan, C.K.: Steady state memetic algorithm for partial shape matching. In: Porto, V.W., Waagen, D. (eds.) *EP 1998. LNCS*, vol. 1447, pp. 527–536. Springer, Heidelberg (1998)
696. Czyak, P., Jaszkievicz, A.: Pareto simulated annealing - a metaheuristic technique for multiple-objective combinatorial optimisation. *Journal of Multi-Criteria Decision Analysis* 7, 34–47 (1998)
697. Paenke, I., Jin, Y., Branke, J.: Balancing population- and individual-level adaptation in changing environments. *Adaptive Behavior – Animals, Animats, Software Agents, Robots, Adaptive Systems* 17(2), 153–174 (2009)
698. Palacios, P., Pelta, D., Blanco, A.: Obtaining biclusters in microarrays with population-based heuristics. In: [779], pp. 115–126 (2006)
699. Palmers, P., McConaghy, T., Steyaert, M., Gielen, G.: Massively multi-topology sizing of analog integrated circuits. In: *Conference on Design, Automation and Test in Europe*, pp. 706–711. IEEE Press, Los Alamitos (2009)

700. Palubeckis, G.: Multistart Tabu Search Strategies for the Unconstrained Binary Quadratic Programming Problem. *Annals of Operations Research* 131, 259–282 (2004)
701. Papadimitriou, C.: *Computational Complexity*. Addison-Wesley, Reading (1994)
702. Papadimitriou, C., Yannakakis, M.: On limited nondeterminism and the complexity of the V-C dimension. In: Allender, J., et al. (eds.) 8th Annual Conference on Structure in Complexity Theory, IEEE Computer Society Press, pp. 12–18. IEEE Computer Society Press, San Diego (1993)
703. Papadimitriou, C., Yannakakis, M.: On limited nondeterminism and the complexity of the V-C dimension. *Journal of Computer and System Sciences* 53(2), 161–170 (1996)
704. Papadimitriou, C.H., Steiglitz, K.: *Combinatorial optimization: algorithms and complexity*. Prentice-Hall, Englewood Cliffs (1982)
705. Paquete, L., Chiarandini, M., Stützle, T.: Pareto local optimum sets in the biobjective traveling salesman problem: An experimental study. In: Gandibleux, X., Sevaux, M., Sörensen, K., Tkindt, V. (eds.) *Meta-heuristics for Multiobjective Optimisation*. Lecture Notes in Economics and Mathematical Systems, vol. 535, pp. 177–199. Springer, Heidelberg (2004)
706. Pardalos, P.M., Rodgers, G.P.: Computational Aspects of a Branch and Bound Algorithm for Unconstrained Quadratic Zero–One Programming. *Computing* 45, 131–144 (1990)
707. Pardalos, P.M., Rodgers, G.P.: A Branch and Bound Algorithm for the Maximum Clique Problem. *Computers and Operations Research* 19(5), 363–375 (1992)
708. Pardalos, P.M., Xue, J.: The Maximum Clique Problem. *Journal of Global Optimization* 4, 301–328 (1994)
709. Paredis, J.: The symbiotic evolution of solutions and their representations. In: Eshelman, L.J. (ed.) *ICGA 1995*, pp. 359–365. Morgan Kaufmann, Pittsburgh (1995)
710. Paredis, J.: Coevolutionary algorithms. In: Bäck, T., Fogel, D.B., Michalewicz, Z. (eds.) *Evolutionary Computation 2 Advanced Algorithms and Operators*, pp. 224–238. Taylor & Francis, Abington (2000)
711. Parga, N., Virasoro, M.: The ultrametric organization of memories in a neural network. *Journal de Physique* 47(11), 1857–1864 (1986)
712. Parisi, G.: Infinite number of order parameters for spin-glasses. *Physical Review Letters* (1979)
713. Park, Y.M., Park, J.B., Won, J.R.: A hybrid genetic algorithm/dynamic programming approach to optimal long-term generation expansion planning. *International Journal of Electrical Power & Energy Systems* 20(4), 295–303 (1998)
714. Parker, G., Blumenthal, H.: Varying sample sizes for the co-evolution of heterogeneous agents. In: [115], pp. 766–771 (2004)
715. Parthasarathy, P.V., Goldberg, D.E., Burns, S.A.: Tackling multimodal problems in hybrid genetic algorithms. In: [839], p. 775 (2001)
716. Pastorino, M.: Stochastic optimization methods applied to microwave imaging: A review. *IEEE Transactions on Antennas and Propagation* 55(3, Part 1), 538–548 (2007)
717. Paszkowicz, W.: Properties of a genetic algorithm extended by a random self-learning operator and asymmetric mutations: A convergence study for a task of powder-pattern indexing. *Analytica Chimica Acta* 566(1), 81–98 (2006)
718. Pawitan, Y.: In *All Likelihood: Statistical Modelling and Inference Using Likelihood*. Oxford Scientific Publishing (2001)
719. Perez, J.R., Basterrechea, J.: Comparison of different heuristic optimization methods for near-field antenna measurements. *IEEE Transactions on Antennas and Propagation* 55(3), 549–555 (2007)

720. Peter, M., Freisleben, B.: Memetic algorithms for the traveling salesman problem. *Complex Systems* 13(4), 297–345 (2001)
721. Pezzella, F., Morganti, G., Ciaschetti, G.: A genetic algorithm for the flexible job-shop scheduling problem. *Computers & Operations Research* 35(10), 3202–3212 (2008)
722. Phillips, A.T., Rosen, J.B.: A Quadratic Assignment Formulation for the Molecular Conformation Problem. *Journal of Global Optimization* 4, 229–241 (1994)
723. Pirkwieser, S., Raidl, G.R.: Finding consensus trees by evolutionary, variable neighborhood search, and hybrid algorithms. In: [784], pp. 323–330 (2008)
724. Poland, J., Knödler, K., Mitterer, A., Fleischhauer, T., Zuber-Goos, F., Zell, A.: Evolutionary search for smooth maps in motor control unit calibration. In: Steinhöfel, K. (ed.) SAGA 2001. LNCS, vol. 2264, pp. 107–116. Springer, Heidelberg (2001)
725. Poloni, C., Giurgevich, A., Onseti, L., Pediroda, V.: Hybridization of a multi-objective genetic algorithm, a neural network and a classical optimizer for a complex design problem in fluid dynamics. *Computer Methods in Applied Mechanics and Engineering* 186(2-4), 403–420 (2000)
726. Porumbel, D.C., Hao, J.K., Kuntz, P.: An evolutionary approach with diversity guarantee and well-informed grouping recombination for graph coloring. *Computers and Operations Research* 37(10), 1822–1832 (2010)
727. Potter, M., De Jong, K.: A cooperative coevolutionary approach to function optimisation. In: [185], pp. 248–257 (1994)
728. Powell, M.J.D.: An efficient method for finding the minimum of a function of several variables without calculating derivatives. *The Computer Journal* 7(2), 155–162 (1964)
729. Powell, M.J.D.: A fast algorithm for nonlinearly constrained optimization calculations. In: Watson, G. (ed.) *Numerical Analysis*, pp. 144–157. Springer, Heidelberg (1978)
730. Powell, M.J.D.: The NEWUOA software for unconstrained optimization. In: Pillo, G.D., Roma, M. (eds.) *Large-Scale Nonlinear Optimization*, pp. 255–297. Springer, Berlin (2006)
731. Press, W.H., Teukolsky, S.A., Vetterling, W.T., Flannery, B.P.: *Numerical Recipes in C. The Art of Scientific Computing*, 2nd edn. Cambridge University Press, New York (1992)
732. Price, K.V.: Mechanical engineering design optimization by differential evolution. In: [145], pp. 293–298 (1999)
733. Price, K.V., Storn, R., Lampinen, J.: *Differential Evolution: A Practical Approach to Global Optimization*. Springer, Heidelberg (2005)
734. Prins, C.: A simple and effective evolutionary algorithm for the vehicle routing problem. *Computers & Operations Research* 31(12), 1985–2002 (2004)
735. Prins, C.: Two memetic algorithms for heterogeneous fleet vehicle routing problems. *Engineering Applications of Artificial Intelligence* 22(6), 916–928 (2009), *artificial Intelligence Techniques for Supply Chain Management*
736. Prins, C., Prodromou, C., Calvo, R.W.: A memetic algorithm with population management (MA|PM) for the capacitated location-routing problem. In: Gottlieb, J., Raidl, G.R. (eds.) *EvoCOP 2006*. LNCS, vol. 3906, pp. 183–194. Springer, Heidelberg (2006)
737. Prodromou, C., Prins, C.: A memetic algorithm with population management (MA|PM) for the periodic location-routing problem. In: [69], pp. 43–57 (2008)
738. Päun, G.: *Computing with membranes*. Tech. Rep. TUCS Report 208, Turku Center for Computer Science (1998)
739. Päun, G.: *Membrane Computing: An Introduction*. Springer, Berlin (2002)
740. Puchinger, J., Raidl, G.: Cooperating memetic and branch-and-cut algorithms for solving the multidimensional knapsack problem. In: *Proceedings of the 2005 Metaheuristics International Conference*, Vienna, Austria, pp. 775–780 (2005)

741. Puchinger, J., Raidl, G.R.: Combining metaheuristics and exact algorithms in combinatorial optimization: a survey and classification. In: [602], pp. 41–53 (2005)
742. Puchinger, J., Raidl, G.R., Koller, G.: Solving a real-world glass cutting problem. In: Gottlieb, J., Raidl, G.R. (eds.) *EvoCOP 2004*. LNCS, vol. 3004, pp. 165–176. Springer, Heidelberg (2004)
743. Pudlák, P.: Complexity theory and genetics. In: *Structure in Complexity Theory Conference*, pp. 383–395 (1994)
744. Pudlák, P.: Complexity theory and genetics: The computational power of crossing over. *Inf. Comput.* 171(2), 201–223 (2001)
745. Qin, A.K., Suganthan, P.N.: Self-adaptive differential evolution algorithm for numerical optimization. In: [116], pp. 1785–1791 (2005)
746. Queiroz, L., Lyra, C.: Adaptive hybrid genetic algorithm for technical loss reduction in distribution networks under variable demands. *IEEE Transactions on Power Systems* 24(1), 445–453 (2009)
747. Quintero, A., Pierre, S.: A memetic algorithm for assigning cells to switches in cellular mobile networks. *IEEE Communications Letters* 6(11), 484–486 (2002)
748. Quintero, A., Pierre, S.: Sequential and multi-population memetic algorithms for assigning cells to switches in mobile networks. *Computer Networks* 43(3), 247–261 (2003)
749. Quintero, A., Pierre, S.: On the design of large-scale UMTS mobile networks using hybrid genetic algorithms. *IEEE Transactions on Vehicular Technology* 57(4), 2498–2508 (2008)
750. Radcliffe, N.: The algebra of genetic algorithms. *Annals of Mathematics and Artificial Intelligence* 10, 339–384 (1994)
751. Radcliffe, N., Surry, P.: Fitness Variance of Formae and Performance Prediction. In: Whitley, L., Vose, M. (eds.) *Proceedings of the 3rd Workshop on Foundations of Genetic Algorithms*, pp. 51–72. Morgan Kaufmann, San Francisco (1994)
752. Radcliffe, N., Surry, P.: Formal Memetic Algorithms. In: Fogarty, T.C. (ed.) *AISB-WS 1994*. LNCS, vol. 865, pp. 1–16. Springer, Heidelberg (1994)
753. Radcliffe, N.J.: Forma analysis and random respectful recombination. In: [56], pp. 222–229 (1991)
754. Radtke, P.V.W., Wong, T., Sabourin, R.: A multi-objective memetic algorithm for intelligent feature extraction. In: [135], pp. 767–781 (2005)
755. Rajesh, J., Gupta, K., Kusumakar, H.S., Jayaraman, V.K., Kulkarni, B.D.: Dynamic optimization of chemical processes using ant colony framework. *Computers and Chemistry* 25(6), 583–595 (2001)
756. Rammal, R., Toulouse, G., Virasoro, M.: Ultrametricity for physicists. *Reviews of Modern Physics* 58, 765–788 (1986)
757. Ratle, A.: Accelerating the convergence of evolutionary algorithms by fitness landscape approximations. In: [240], pp. 87–96 (1998)
758. Ray, T., Sarker, R.: Genetic algorithm for solving a gas lift optimization problem. *Journal of Petroleum Science and Engineering* 59(1-2), 84–96 (2007)
759. Ray, T., Singh, H.K., Isaacs, A., Smith, W.: Infeasibility driven evolutionary algorithm for constrained optimization. In: Mezura-Montes, E. (ed.) *Constraint Handling in Evolutionary Optimization*. *Studies in Computational Intelligence*, pp. 145–165. Springer, Heidelberg (2009)
760. Rechenberg, I.: *Evolutionstrategie – optimierung technischer Systeme nach Prinzipien der biologischen Evolution*. PhD thesis, Technical University of Berlin (1971)

761. Rechenberg, I.: *Evolutionsstrategie: Optimierung technischer Systeme nach Prinzipien der biologischen Evolution*. Frommann-Holzboog Verlag, Stuttgart (1973)
762. Reeves, C.R., Rowe, J.E.: *Genetic algorithms: principles and perspectives: a guide to GA theory*. Kluwer Academic Publishers, Dordrecht (2003)
763. Régnier, S.: Sur quelques aspects mathématiques des problèmes de classification automatique. *Mathématiques et Sciences Humaines*, reprint of ICC Bulletin 4, 175–191 (1965)
764. Reinelt, G.: *The Traveling Salesman: Computational Solutions for TSP Applications*. LNCS, vol. 840. Springer, Heidelberg (1994)
765. Renderes, J.M., Flasse, S.P.: Hybrid methods using genetic algorithms for global optimization. *IEEE Transactions on Systems, Man, and Cybernetics—Part B* 26(2), 243–258 (1996)
766. Renders, J.M., Bersini, H.: Hybridizing genetic algorithms with hill-climbing methods for global optimization: Two possible ways. In: *IEEE Conference on Evolutionary Computation*, pp. 312–317. IEEE Press, Piscataway (1994)
767. Richer, J.-M., Goëffon, A., Hao, J.-K.: A memetic algorithm for phylogenetic reconstruction with maximum parsimony. In: Pizzuti, C., Ritchie, M.D., Giacobini, M. (eds.) *EvoBIO 2009*. LNCS, vol. 5483, pp. 164–175. Springer, Heidelberg (2009)
768. Riveros, C., et al.: A transcription factor map as revealed by a genome-wide gene expression analysis of whole-blood mRNA transcriptome in multiple sclerosis. *PLoS ONE* 5(12), e14,176 (2010)
769. Robic, T., Filipic, B.: DEMO: Differential evolution for multiobjective optimization. In: [135], pp. 520–533 (2005)
770. Robinson, D.: Comparison of labeled trees with valency three. *Journal of Combinatorial Theory, Series B* 11(2), 105–119 (1971)
771. Rodríguez, J.F., Renaud, J.E., Watson, L.T.: Trust region augmented Lagrangian methods for sequential response surface approximation and optimization. *ASME Journal of Mechanical Design* 120(1), 58–66 (1998)
772. Rodríguez-Tello, E., Hao, J.K., Torres-Jimenez, J.: An effective two-stage simulated annealing algorithm for the minimum linear arrangement problem. *Computers and Operations Research* 35(10), 3331–3346 (2008)
773. Romero-Campero, F., Cao, H., Camara, M., Krasnogor, N.: Structure and parameter estimation for cell systems biology models. In: [784], pp. 331–338 (2008)
774. Ronald, S.: Distance Functions for Order-Based Encodings. In: *Proceedings of the 1997 IEEE International Conference on Evolutionary Computation*, pp. 49–54. IEEE Press, Los Alamitos (1997)
775. Rosca, J.P.: Entropy-driven adaptive representation. In: Rosca, J.P. (ed.) *Proceedings of the Workshop on Genetic Programming: from Theory to Real-World Applications*, pp. 23–32 (1995)
776. Rosenbrock, H.H.: An automatic method for finding the greatest or least value of a function. *The Computer Journal* 3(3), 175–184 (1960)
777. Roshan, U., Moret, B.M.E., Warnow, T., Williams, T.L.: Rec-i-dcm3: A fast algorithmic technique for reconstructing large phylogenetic trees. In: *IEEE Computer Society Bioinformatics Conference 2004*, pp. 98–109. IEEE Press, Los Alamitos (2004)
778. Rosso, O., Mendes, A., Berretta, R., Rostas, J., Hunter, M., Moscato, P.: Distinguishing childhood absence epilepsy patients from controls by the analysis of their background brain electrical activity (ii): A combinatorial optimization approach for electrode selection. *Journal of Neuroscience Methods* 181(2), 257–267 (2009)

779. Rothlauf, F., Branke, J., Cagnoni, S., Costa, E., Cotta, C., Drechsler, R., Lutton, E., Machado, P., Moore, J.H., Romero, J., Smith, G.D., Squillero, G., Takagi, H. (eds.): *EvoWorkshops 2006*. LNCS, vol. 3907. Springer, Heidelberg (2006)
780. Rudolph, G.: How mutation and selection solve long-path problems in polynomial expected time. *Evolutionary Computation* 4(2), 195–205 (1997)
781. Rudolph, G., Jansen, T., Lucas, S., Poloni, C., Beume, N. (eds.): *PPSN 2008*. LNCS, vol. 5199. Springer, Heidelberg (2008)
782. Runarsson, T.P., Yao, X.: Stochastic ranking for constrained evolutionary optimization. *IEEE Transactions on Evolutionary Computation* 4, 284–294 (2000)
783. Runarsson, T.P., Beyer, H.-G., Burke, E.K., Merelo-Guervós, J.J., Whitley, L.D., Yao, X. (eds.): *PPSN 2006*. LNCS, vol. 4193. Springer, Heidelberg (2006)
784. Ryan, C., Keijzer, M. (eds.): *Genetic and Evolutionary Computation Conference – GECCO 2008*. ACM Press, Atlanta (2008)
785. Salcedo-Sanz, S., Yao, X.: A hybrid hopfield network-genetic algorithm approach for the terminal assignment problem. *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics* 34(6), 2343–2353 (2004)
786. Salehpour, A.A., Afzali-Kusha, A., Mohammadi, S.: Efficient clustering of wireless sensor networks based on memetic algorithm. In: *International Conference on Innovations in Information Technology*, pp. 450–454. IEEE Press, Los Alamitos (2008)
787. Salvatore, N., Cascella, G., Caponio, A., Stasi, S., Neri, F.: Optimization of DSKF-based algorithm for sensorless SFO-SM control of IMs using differential evolution. In: *International Conference on Electrical Machines*, paper ID 1225 (2008)
788. Sano, Y., Kita, H.: Optimization of noisy fitness functions by means of genetic algorithms and history of search. In: [796], pp. 571–580 (2000)
789. Santamaría, J., Cordón, O., Damas, S., García-Torres, J.M., Quirin, A.: Performance evaluation of memetic approaches in 3D reconstruction of forensic objects. *Soft Computing* 13(8-9), 883–904 (2009)
790. Santos, E., ESantos, J.: Effective computational reuse for energy evaluations in protein folding. *International Journal of Artificial Intelligence Tools* 15(5), 725–739 (2006)
791. Sarker, R., Newton, C.: *Optimization Modelling: A Practical Approach*. Taylor & Francis Group/CRC Press, USA (2008)
792. Sarker, R., Kamruzzaman, J., Newton, C.: Evolutionary optimization (evopt): A brief review and analysis. *International Journal of Computational Intelligence and Applications* 3(4), 311–330 (2003)
793. Schaffer, J., Morishima, A.: An adaptive crossover distribution mechanism for genetic algorithms. In: [333], pp. 36–40 (1987)
794. Schaffer, J.D. (ed.): *Third International Conference on Genetic Algorithms*. Morgan Kaufmann, San Mateo (1989)
795. Schiex, T., Fargier, H., Verfaillie, G.: Valued constraint satisfaction problems: hard and easy problems. In: *14th. International Joint Conference on Artificial Intelligence, IJCAI 1995*, Montreal, Canada, pp. 631–637 (1995)
796. Deb, K., Rudolph, G., Lutton, E., Merelo, J.J., Schoenauer, M., Schwefel, H.-P., Yao, X. (eds.): *PPSN 2000*. LNCS, vol. 1917. Springer, Heidelberg (2000)
797. Schuetze, O., Sanchez, G., Coello Coello, C.A.: A new memetic strategy for the numerical treatment of multi-objective optimization problems. In: [784], pp. 705–712 (2008)
798. Schwefel, H.P.: *Kybernetische Evolution als Strategie der experimentellen Forschung in der Strömungstechnik*. PhD thesis, Technical University of Berlin, Hermann Föttinger-Institute for Fluid Dynamics (1965)

799. Schwefel, H.P.: Numerical Optimisation of Computer Models. J. Wiley, Chichester (1981)
800. Schwefel, H.P.: Evolution strategies: A family of non-linear optimization techniques based on imitating some principles of natural evolution. *Annals of Operations Research* 1, 165–167 (1984)
801. Schwefel, H.P.: Evolution and Optimum Seeking. John Wiley & Sons, Inc., New York (1994)
802. Schwefel, H.-P., Männer, R. (eds.): PPSN 1990. LNCS, vol. 496. Springer, Heidelberg (1991)
803. Sefrioui, M., Périaux, J.: A hierarchical genetic algorithm using multiple models for optimization. In: [796], pp. 879–888 (2000)
804. Selman, B., Levesque, H., Mitchell, D.: A new method for solving hard satisfiability problems. In: National Conference on Artificial Intelligence, pp. 440–446. AAAI, Menlo Park (1992)
805. Serafini, P.: Simulated annealing for multiple objective optimization problems. In: Tenth International Conference on Multiple Criteria Decision Making, vol. 1, pp. 87–96 (1992)
806. Seront, G., Bersini, H.: A new GA-local search hybrid for continuous optimization based on multi-level single linkage clustering. In: [932], pp. 90–95 (2000)
807. Serpell, M., Smith, J.: Self-adaptation of mutation operator and probability for permutation representations in genetic algorithms. *Evolutionary Computation* 18(3), 491–514 (2009)
808. Sheskin, D.J.: Handbook of Parametric and Nonparametric Statistical Procedures, 4th edn. Chapman and Hall, Boca Raton (2007)
809. Shi, Y., Eberhart, R.: A modified particle swarm optimizer. In: IEEE World Congress on Computational Intelligence, pp. 69–73 (1998)
810. Shyr, W.-J.: The hybrid genetic algorithm for blind signal separation. In: King, I., Wang, J., Chan, L.-W., Wang, D. (eds.) ICONIP 2006. LNCS, vol. 4234, pp. 954–963. Springer, Heidelberg (2006)
811. Shyr, W.J.: Robust control design for aircraft controllers via memetic algorithms. *International Journal of Innovative Computing, Information and Control* 5(10A), 3133–3140 (2009)
812. Shyr, W.J., Wang, B.W., Yeh, Y.Y., Su, T.J.: Design of optimal PID controllers using memetic algorithm. In: American Control Conference, vol. 3, pp. 2130–2131 (2002)
813. Shyu, C., Sheneman, L., Foster, J.A.: Multiple sequence alignment with evolutionary computation. *Genetic Programming and Evolvable Machines* 5, 121–144 (2004)
814. Sinclair, M.: Minimum cost routing and wavelength allocation using a genetic-algorithm/heuristic hybrid approach. In: IEE Conference on Telecommunications (Conf. Publ. No. 451), pp. 67–71 (1998)
815. Sindhya, K., Deb, K., Miettinen, K.: A local search based evolutionary multi-objective optimization approach for fast and accurate convergence. In: [781], pp. 815–824 (2008)
816. Singh, H., Ray, T., Smith, W.: Performance of infeasibility empowered memetic algorithm for CEC 2010 constrained optimization problems. In: [121], pp. 1–8 (2010)
817. Singh, H.K., Isaacs, A., Ray, T., Smith, W.: Infeasibility Driven Evolutionary Algorithm (IDEA) for Engineering Design Optimization. In: 21st Australasian Joint Conference on Artificial Intelligence AI 2008, pp. 104–115 (2008)
818. Sinha, A., Chen, Y., Goldberg, D.E.: Designing efficient genetic and evolutionary algorithm hybrids. In: [375], pp. 259–288 (2005)

819. Smit, V.N.S., Eiben, A.: Costs and benefits of tuning parameters of evolutionary algorithms. In: [781], pp. 528–538 (2008)
820. Smith, J.: Modelling GAs with self adaptive mutation rates. In: [839], pp. 599–606 (2001)
821. Smith, J.: Co-evolution of memetic algorithms: Initial investigations. In: [580], pp. 537–548 (2002)
822. Smith, J.: Co-evolving memetic algorithms: A learning approach to robust scalable optimisation. In: [114], pp. 498–505 (2003)
823. Smith, J.: Parameter perturbation mechanisms in binary coded gas with self-adaptive mutation. In: Rowe, J., Poli, R., De Jong, K., Cotta, C. (eds.) *Foundations of Genetic Algorithms 7*, pp. 329–346. Morgan Kaufman, San Francisco (2003)
824. Smith, J.: Protein structure prediction with co-evolving memetic algorithms. In: [114], pp. 2346–2353 (2003)
825. Smith, J.: The co-evolution of memetic algorithms for protein structure prediction. In: [375], pp. 105–128 (2005)
826. Smith, J., Fogarty, T.: Adaptively parameterised evolutionary systems: Self adaptive recombination and mutation in a genetic algorithm. In: [909], pp. 441–450 (1996)
827. Smith, J., Fogarty, T.: Recombination strategy adaptation via evolution of gene linkage. In: 1996 IEEE Conference on Evolutionary Computation, pp. 826–831 (1996)
828. Smith, J., Fogarty, T.: Self adaptation of mutation rates in a steady state genetic algorithm. In: 1996 IEEE Conference on Evolutionary Computation, pp. 318–323 (1996)
829. Smith, J., Fogarty, T.: Operator and parameter adaptation in genetic algorithms. *Soft Computing* 1(2), 81–87 (1997)
830. Smith, J.E.: Coevolving memetic algorithms: A review and progress report. *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 37(1), 6–17 (2007)
831. Smith, J.E.: Credit assignment in adaptive memetic algorithms. In: Lipson, H. (ed.) *GECCO 2007*, pp. 1412–1419. ACM Press, London (2007)
832. Smith, R.E., Smith, J.E.: An Examination of Tunable, Random Search Landscapes. In: *Foundations of Genetic Algorithms V*, pp. 165–182. Morgan Kaufmann, San Francisco (1999)
833. Sneath, P., Sokal, R.: *Numerical taxonomy*. W.H. Freeman and Co, San Francisco (1973)
834. Solis, F.J., Wets, R.J.B.: Minimization by random search techniques. *Mathematics of Operations Research* 6(1), 19–30 (1981)
835. Song, W.: Multiobjective memetic algorithm and its application in robust airfoil shape optimization. In: Goh, C.K., Ong, K.Y. (eds.) *Multi-Objective Memetic Algorithms*. *Studies in Computational Intelligence*, vol. 171, pp. 389–402. Springer, Heidelberg (2009)
836. Sörensen, K., Sevaux, M.: MA|PM: memetic algorithms with population management. *Computers and Operations Research* 33(5), 1214–1225 (2006)
837. Sörensen, K., Sevaux, M.: A practical approach for robust and flexible vehicle routing using metaheuristics and Monte Carlo sampling. *Journal of Mathematical Modelling and Algorithms* 8(4), 387–407 (2009)
838. Spall, J.C.: *Introduction to Stochastic Search and Optimization. Estimation, Simulation, and Control*. John Wiley & Sons, Inc., Hoboken (2003)
839. Spector, L., et al. (eds.): *Genetic and Evolutionary Computation Conference – GECCO 2001*. Morgan Kaufmann, San Francisco (2001)
840. Speer, N., Merz, P., Spieth, C., Zell, A.: Clustering gene expression data with memetic algorithms based on minimum spanning trees. In: [114], pp. 1848–1855 (2003)

841. Speer, N., Spieth, C., Zell, A.: A memetic clustering algorithm for the functional partition of genes based on the gene ontology. In: IEEE Symposium on Computational Intelligence in Bioinformatics and Computational Biology, pp. 252–259. IEEE Press, Los Alamitos (2004)
842. Spieth, C., Streichert, F., Speer, N., Zell, A.: A memetic inference method for gene regulatory networks based on S-systems. In: [115], pp. 152–157 (2004)
843. Spieth, C., Streichert, F., Supper, J., Speer, N., Zell, A.: Feedback memetic algorithms for modeling gene regulatory networks. In: 2005 IEEE Symposium on Computational Intelligence in Bioinformatics and Computational Biology, pp. 61–67. IEEE Press, Los Alamitos (2005)
844. Srinivas, N., Deb, K.: Multiple objective optimization using nondominated sorting in genetic algorithms. *Evolutionary Computation* 2(2), 221–248 (1994)
845. Stadler, P.F.: Towards a Theory of Landscapes. In: López-Peña, R., Capovilla, R., García-Pelayo, R., Waelbroeck, H., Zertuche, F. (eds.) *Complex Systems and Binary Networks*. Lecture Notes in Physics, vol. 461, pp. 77–163. Springer, Berlin (1995)
846. Stadler, P.F.: Landscapes and their Correlation Functions. *Journal of Mathematical Chemistry* 20, 1–45 (1996)
847. Stadler, P.F., Schnabl, W.: The Landscape of the Travelling Salesman Problem. *Physics Letters A* 161, 337–344 (1992)
848. Steuer, R.: *Multiple Criteria Optimization - Theory, Computation and Application*. Wiley, Chichester (1986)
849. Stewart, G.W.: A modification of davidson’s minimization method to accept difference approximations of derivatives. *Journal of the ACM* 14(1), 72–83 (1967)
850. Stone, C., Smith, J.: Strategy parameter variation in self-adaptation of mutation rates. In: [504], pp. 586–593 (2002)
851. Stone, C.J.: Optimal global rates of convergence for nonparametric regression. *Annals of Statistics* 10(4), 1040–1053 (1982)
852. Storch, T.: On the choice of the parent population size. *Evolutionary Computation* 16(4), 557–578 (2008)
853. Storn, R., Price, K.: Differential evolution - a simple and efficient adaptive scheme for global optimization over continuous spaces. Tech. Rep. TR-95-012, ICSI (1995)
854. Subudhi, B., Jena, D., Gupta, M.: Memetic differential evolution trained neural networks for nonlinear system identification. In: IEEE Region 10 and international Conference on Industrial and Information Systems, pp. 1–6. IEEE Press, Los Alamitos (2008)
855. Sudholt, D.: Local Search in Evolutionary Algorithms: The Impact of the Local Search Frequency. In: Asano, T. (ed.) *ISAAC 2006*. LNCS, vol. 4288, pp. 359–368. Springer, Heidelberg (2006)
856. Sudholt, D.: On the analysis of the (1+1) memetic algorithm. In: [110], pp. 493–500 (2006)
857. Sudholt, D.: Memetic algorithms with variable-depth search to overcome local optima. In: [784], pp. 787–794 (2008)
858. Sudholt, D.: The impact of parametrization in memetic evolutionary algorithms. *Theoretical Computer Science* 410(26), 2511–2528 (2009)
859. Sudholt, D.: Hybridizing evolutionary algorithms with variable-depth search to overcome local optima. *Algorithmica* 59(3), 343–368 (2011)
860. Suman, B.: Study of simulated annealing based algorithms for multiobjective optimization of a constrained problem. *Computers & Chemical Engineering* 28(9), 1849–1871 (2004)

861. Surry, P., Radcliffe, N.: Inoculation to initialise evolutionary search. In: Fogarty, T.C. (ed.) AISB-WS 1996. LNCS, vol. 1143, pp. 269–285. Springer, Heidelberg (1996)
862. Swofford, D.L., Olsen, G.J., Waddell, P.J., Hillis, D.M.: Phylogeny inference. In: Hillis, D.M., Moritz, C., Mable, B.K. (eds.) *Molecular Systematics*, ch. 11, pp. 407–514. Sinauer Associates, Inc. (1999)
863. Sylos Labini, M., Covitti, A., Delvecchio, G., Neri, F.: A quasi-genetic algorithm for searching the dangerous areas generated by a grounding system. *COMPEL: International Journal for Computation and Mathematics in Electrical and Electronic Engineering* 23(3), 724–732 (2004)
864. Syswerda, G.: A Study of Reproduction in Generational and Steady State Genetic Algorithms. In: Rawlings, G.J.E. (ed.) *Foundations of Genetic Algorithms*, pp. 94–101. Morgan Kaufmann, San Mateo (1991)
865. Szeider, S.: The parameterized complexity of k -flip local search for SAT and MAX SAT. In: Kullmann, O. (ed.) *SAT 2009*. LNCS, vol. 5584, pp. 276–283. Springer, Heidelberg (2009)
866. Szeider, S.: The parameterized complexity of k -flip local search for SAT and MAX SAT. *Discrete Optimization* 8(1), 139–145 (2011)
867. Szu, H., Hartley, R.: Fast simulated annealing. *Physics Letters A* 122, 157–162 (1987)
868. Tagawa, K., Matsuoka, M.: Optimum design of surface acoustic wave filters based on the taguchi's quality engineering with a memetic algorithm. In: [783], pp. 292–301 (2006)
869. Tagawa, K., Matsuoka, M., Tsukamoto, M.: Robust optimum design of saw filters with the taguchi method and a memetic algorithm. In: [116], pp. 2146–2153 (2005)
870. Taguchi, G.: *Robust Engineering*. McGraw-Hill Book Company, New York (1990)
871. Tai, K., Wang, N., Yang, Y.: Hybrid GA multiobjective optimization for the design of compliant micro-actuators. In: *IEEE International Conference on Systems, Man and Cybernetics*, pp. 559–564 (2008)
872. Talbi, E.G.: A taxonomy of hybrid metaheuristics. *Journal of Heuristics* 8(5), 541–564 (2002)
873. Tang, J., Lim, M.H., Ong, Y.S.: Diversity-adaptive parallel memetic algorithm for solving large scale combinatorial optimization problems. *Soft Computing-A Fusion of Foundations, Methodologies and Applications* 11(9), 873–888 (2007)
874. Tang, M., Yao, X.: A memetic algorithm for VLSI floorplanning. *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 37(1), 62–69 (2007)
875. Tao, W.H.: Fuzzy neural network control of truck backer-upper using hybrid genetic algorithms. In: *International Conference on Information Acquisition*, pp. 9–12. IEEE Press, Los Alamitos (2004)
876. Tenne, Y.: A model-assisted memetic algorithm for expensive optimization problems. In: Chiong, R. (ed.) *Nature-Inspired Algorithms for Optimisation. Studies in Computational Intelligence*, vol. 193, Springer, Heidelberg (2009)
877. Tenne, Y., Armfield, S.: A memetic algorithm assisted by an adaptive topology rbf network and variable local models for expensive optimization problems. In: Kosinski W (ed) *Advances in Evolutionary Algorithms, IN-TECH* (2008)
878. Tenne, Y., Armfield, S.W.: A memetic algorithm using a trust-region derivative-free optimization with quadratic modelling for optimization of expensive and noisy black-box functions. In: Yang, S., Ong, Y.S., Jin, Y. (eds.) *Evolutionary Computation in Dynamic and Uncertain Environments. Studies in Computational Intelligence*, vol. 51, pp. 389–415. Springer, Heidelberg (2007)

879. Tenne, Y., Armfield, S.W.: A versatile surrogate-assisted memetic algorithm for optimization of computationally expensive functions and its engineering applications. In: Yang, A., Shan, Y., Thu Bui, L. (eds.) *Success in Evolutionary Computation. Studies in Computational Intelligence*, vol. 92, pp. 43–72. Springer, Heidelberg (2008)
880. Tenne, Y., Armfield, S.W.: A framework for memetic optimization using variable global and local surrogate models. *Journal of Soft Computing* 13(8) (2009)
881. Tenne, Y., Goh, C.K.: *Computational Intelligence in Expensive Optimization Problems*. In: *Evolutionary Learning and Optimization*. Springer, Heidelberg (2010)
882. Thomas, R.: *Sea Monster Tattoo*. Polygon (1997)
883. Thomsen, R., Munkegade, N., Fogel, G.B., Krink, T., Group, E., Group, E.: A clustal alignment improver using evolutionary algorithms. In: [113], pp. 121–126 (2002)
884. Thorup, M.: Structured programs have small tree-width and good register allocation (extended abstract). In: Möhring, R.H. (ed.) *WG 1997. LNCS*, vol. 1335, pp. 318–332. Springer, Heidelberg (1997)
885. Tian, Z., Liu, Y., Yang, H., Wang, H.: A hybrid genetic algorithm with critical primary inputs sharing and minor primary inputs bits climbing for circuit maximum power estimation. In: *International Conference on Natural Computation*, vol. 4, pp. 183–187 (2007)
886. Tie-hua, J., Dong-lin, S., Ai-xin, C., Yan-jun, Z., Guo-yu, W.: Broadband matching network design for antennas using a hybrid genetic algorithm. In: *International Symposium on Antennas, Propagation and EM Theory*, pp. 90–93 (2008)
887. Tirronen, V., Neri, F.: Differential evolution with fitness diversity self-adaptation. In: Chiong, R. (ed.) *Nature-Inspired Algorithms for Optimisation. Studies in Computational Intelligence*, vol. 193, pp. 199–234. Springer, Heidelberg (2009)
888. Tirronen, V., Neri, F., Kärkkäinen, T., Majava, K., Rossi, T.: A memetic differential evolution in filter design for defect detection in paper production. In: Giacobini, M. (ed.) *EvoWorkshops 2007. LNCS*, vol. 4448, pp. 320–329. Springer, Heidelberg (2007)
889. Tirronen, V., Neri, F., Kärkkäinen, T., Majava, K., Rossi, T.: An enhanced memetic differential evolution in filter design for defect detection in paper production. *Evolutionary Computation* 16(4), 529–555 (2008)
890. Tirronen, V., Neri, F., Majava, K., Kärkkäinen, T.: The “natura non facit saltus” principle in memetic computing. In: [119], pp. 3881–3888 (2008)
891. Törn, A.: Cluster analysis using seed points and density-determined hyperspheres as an aid to global optimization. *IEEE Transactions on Systems, Man, and Cybernetics* 7(8), 610–616 (1977)
892. Trosset, M.W.: I know it when I see it: Toward a definition of direct search methods. *SIAG/OPT Views-and-News* 9, 7–10 (1997)
893. Tsai, K.Y., Wang, F.S.: Evolutionary optimization with data collocation for reverse engineering of biological networks. *Bioinformatics* 21(7), 1180–1188 (2005)
894. Tse, S.M., Liang, Y., Leung, K.S., Lee, K.H., Mok, T.: A memetic algorithm for multiple-drug cancer chemotherapy schedule optimization. *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 37(1), 84–91 (2007)
895. Tsutsui, S., Ghosh, A.: Genetic algorithms with a robust solution scheme. *IEEE Transactions on Evolutionary Computation* 1(3), 201–208 (1997)
896. Ulder, N.L.J., Aarts, E.H.L., Bandelt, H.J., van Laarhoven, P.J.M., et al.: Genetic Local Search Algorithms for the Traveling Salesman Problems. In: [802], pp. 109–116 (1991)
897. Ulungu, E.L., Teghem, J., Fortemps, P., Tuytens, D.: MOSA method: a tool for solving multiobjective combinatorial optimization problems. *Journal of Multi-Criteria Decision Analysis* 8, 221–236 (1999)

898. Umezawa, K., Yamazaki, K.: Tree-length equals branch-length. *Discrete Mathematics* 309(13), 4656–4660 (2009)
899. Vakil Baghmisheh, M., Alinia Ahandani, M., Talebi, M.: Frequency modulation sound parameter identification using novel hybrid evolutionary algorithms. In: *International Symposium on Telecommunications*, pp. 67–72. IEEE Press, Los Alamitos (2008)
900. Valenzuela, J., Smith, A.E.: A seeded memetic algorithm for large unit commitment problems. *Journal of Heuristics* 8, 173–195 (1999)
901. Vallejo, A., Cutiller, A.Z.D.V.D., Dalmau, J.: Implementation of traffic engineering in NGNs using hybrid genetic algorithms. In: *International Conference on Systems and Networks Communications*, pp. 262–267 (2008)
902. Vasquez, M., Hao, J.K.: A heuristic approach for antenna positioning in cellular networks. *Journal of Heuristics* 7(5), 443–472 (2001)
903. Vasquez, M., Hao, J.K.: A logic-constrained knapsack formulation and a tabu algorithm for the daily photograph scheduling of an earth observation satellite. *Computational Optimization and Applications* 20(2), 137–157 (2001)
904. Vavak, F., Jukes, K.A., Fogarty, T.C.: A genetic algorithm with variable range of local search for tracking changing environments. In: [909], pp. 376–385 (1996)
905. Vavak, F., Jukes, K.A., Fogarty, T.C.: Adaptive combustion balancing in multiple burner boiler using a genetic algorithm with variable range of local search. In: [33], pp. 719–726 (1997)
906. Vavak, F., Jukes, K.A., Fogarty, T.C.: Performance of a genetic algorithm with variable local search range relative to frequency of the environmental changes. In: Koza, J.R. (ed.) *Third Annual Conference on Genetic Programming*, pp. 602–608. Morgan Kaufmann, San Francisco (1998)
907. Vazirani, V.: *Approximation Algorithms*. Springer, Berlin (2001)
908. Venkatraman, S., Yen, G.: A generic framework for constrained optimization using genetic algorithms. *IEEE Transactions on Evolutionary Computation* 9(4), 424–435 (2005)
909. Ebeling, W., Rechenberg, I., Voigt, H.-M., Schwefel, H.-P. (eds.): *PPSN 1996. LNCS*, vol. 1141. Springer, Heidelberg (1996)
910. Volgenant, A., Jonker, R.: A branch and bound algorithm for the symmetric traveling salesman problem based on the 1-tree relaxation. *European Journal of Operational Research* 9, 83–88 (1982)
911. Volk, J., Herrmann, T., Wuthrich, K.: Automated sequence-specific protein nmr assignment using the memetic algorithm match. *Journal of Biomolecular Nmr* 41(3), 127–138 (2008)
912. Walshaw, C.: A Multilevel Approach to the Travelling Salesman Problem. *Operations Research* 50(5), 862–877 (2002)
913. Wang, H., Wang, D., Yang, S.: A memetic algorithm with adaptive hill climbing strategy for dynamic optimization problems. *Journal of Soft Computing* 13, 763–780 (2009)
914. Wang, H., Qian, L., Dougherty, E.: Inference of gene regulatory networks using S-system: a unified approach. *IET Systems Biology* 4(2), 145–156 (2010)
915. Wang, H., Yang, S., Ip, W.H., Wang, D.: A particle swarm optimization based memetic algorithm for dynamic optimization problems. *Natural Computing* 3(9), 703–725 (2010)
916. Wang, J., Shan, H., Shasha, D., Piel, W.: Treerank: A similarity measure for nearest neighbor searching in phylogenetic databases. In: *15th International Conference on Scientific and Statistical Database Management*, pp. 171–180. IEEE Press, Cambridge (2003)
917. Wang, N., Tai, K.: A hybrid genetic algorithm for multiobjective structural optimization. In: [118], pp. 2948–2955 (2007)

918. Wang, N., Yang, Y.: Target geometry matching problem for hybrid genetic algorithm used to design structures subjected to uncertainty. In: [120], pp. 1644–1651 (2009)
919. Wang, N., Yang, Y., Tai, K.: Hybrid genetic algorithm for designing structures subjected to uncertainty. In: IEEE International Conference on Systems, Man and Cybernetics, pp. 565–570. IEEE Press, Los Alamitos (2008)
920. Wang, N., Yang, Y., Tai, K.: Optimization of structures under load uncertainties based on hybrid genetic algorithm. In: [119], pp. 4039–4044 (2008)
921. Watanabe, I., Kurihara, I., Nakachi, Y.: A hybrid genetic algorithm for service restoration problems in power distribution systems. In: [117], pp. 3250–3257 (2006)
922. Waterman, M., Smith, T.: On the similarity of dendograms. *Journal of Theoretical Biology* 73, 789–800 (1978)
923. Watson, J.P., Howe, A.E., Whitley, L.D.: An analysis of iterated local search for job-shop scheduling. In: Ibaraki, T., Yoshitomi, Y. (eds.) Fifth Metaheuristics International Conference, MIC 2003 (2003)
924. Weaver, D., Workman, C., Stormo, G.: Modeling regulatory networks with weight matrices. In: Pacific Symposium on Biocomputing, vol. 4, pp. 112–123 (1999)
925. Wegener, I.: *Complexity Theory—Exploring the Limits of Efficient Algorithms*. Springer, Heidelberg (2005)
926. Wegener, I., Witt, C.: On the analysis of a simple evolutionary algorithm on quadratic pseudo-boolean functions. *Journal of Discrete Algorithms* 3(1), 61–78 (2005)
927. Weicker, K.: Performance measures for dynamic environments. In: [580], pp. 64–73 (2002)
928. Weinberger, E.D.: Correlated and Uncorrelated Fitness Landscapes and How to Tell the Difference. *Biological Cybernetics* 63, 325–336 (1990)
929. Weinberger, E.D.: NP Completeness of Kauffman’s N-k Model, A Tuneable Rugged Fitness Landscape. Tech. Rep. 96-02-003, Santa Fe Institute, Santa Fe, New Mexico (1996)
930. Whitley, D.: Using reproductive evaluation to improve genetic search and heuristic discovery. In: [333], pp. 108–115 (1987)
931. Whitley, D., Starkweather, T., Fuquay, D.: Scheduling Problems and Traveling Salesman: The Genetic Edge Recombination Operator. In: [794], pp. 133–140 (1989)
932. Whitley, L.D., et al. (eds.): *Genetic and Evolutionary Computation Conference – GECCO 2000*. Morgan Kaufmann, Las Vegas (2000)
933. Wiegand, R., Liles, W., De Jong, K.: An empirical analysis of collaboration methods in cooperative coevolutionary algorithms. In: [839], pp. 1235–1245 (2001)
934. Wiegiers, M.: The k-section of treewidth restricted graphs. In: Rovan, B. (ed.) MFCS 1990. LNCS, vol. 452, pp. 530–537. Springer, Heidelberg (1990)
935. Willett, P.: Genetic algorithms in molecular recognition and design. *Trends in Biotechnology* 13(12), 516–521 (1995)
936. Williams, H.P.: *Model Building in Mathematical Programming*, 4th edn. Wiley, Chichester (2000)
937. Williams, T., Smith, M.: The role of diverse populations in phylogenetic analysis. In: [110], pp. 287–294 (2006)
938. Witt, C.: Runtime analysis of the $(\mu+1)$ EA on simple pseudo-Boolean functions. *Evolutionary Computation* 14(1), 65–86 (2006)
939. Witt, C.: Population size versus runtime of a simple evolutionary algorithm. *Theoretical Computer Science* 403(1), 104–120 (2008)
940. Wolpert, D., Macready, W.: No free lunch theorems for optimization. *IEEE Transactions on Evolutionary Computation* 1(1), 67–82 (1997)

941. Wright, S.: The role of mutation, inbreeding, crossbreeding, and selection in evolution. In: *Proceedings of the Sixth International Congress on Genetics*, vol. 1, pp. 356–366 (1932)
942. Wu, B., Chao, K.M., Tang, C.: Approximation and exact algorithms for constructing minimum ultrametric trees from distance matrices. *Journal of Combinatorial Optimization* 3(2), 199–211 (1999)
943. Wu, T., Li, D., Liu, X., Du, G., Han, R.: Model-adaptable MOSFET parameter extraction with a hybrid genetic algorithm. In: *International Conference on Solid-State and Integrated Circuit Technology*, pp. 1299–1302 (2006)
944. Xia, C., Xue, M., Chen, W., Xie, X.: Flux linkage characteristic measurement and parameter identification based on hybrid genetic algorithm for switched reluctance motors. In: *IEEE Conference on Industrial Electronics and Applications*, pp. 1619–1623. IEEE Press, Los Alamitos (2008)
945. Xu, C., Zou, X., Yuan, R., Wu, C.: Optimal coordination of protection relays using new hybrid evolutionary algorithm. In: [119], pp. 823–828 (2008)
946. Yamada, T.: Studies on metaheuristics for jobshop and flowshop scheduling problems. PhD thesis, Department of Applied Mathematics and Physics, Kyoto University, Kyoto, Japan (2003)
947. Yang, C.H., Cheng, Y.H., Chuang, L.Y., Chang, H.W.: Specific PCR product primer design using memetic algorithm. *Biotechnol. Prog.* 25(3), 745–753 (2009)
948. Yannakakis, M.: Computational complexity. In: *Local Search in Combinatorial Optimization*, pp. 19–55. Princeton University Press, Princeton (1997)
949. Yao, X., Liu, Y.: A new evolutionary systems for evolving artificial neural networks. *IEEE Transactions on Neural Networks* 8(3), 694–713 (1997)
950. Ying Xu, D.V.: Olman Clustering gene expression data using a graph-theoretic approach: An application of minimum spanning tree. *Bioinformatics* 18(4), 526–535 (2002)
951. Yuan, B., Gallagher, M.: Combining meta-EAs and racing for difficult EA parameter tuning tasks. In: Lobo, F., Lima, C., Michalewicz, Z. (eds.) *Parameter Setting in Evolutionary Algorithms*, pp. 121–142. Springer, Heidelberg (2007)
952. Yuan, Y.: On the truncated conjugate gradient method. *Mathematical Programming* 87(3), 561–573 (2000)
953. Zhu, Z., Ong, M.Y.S.: Markov blanket-embedded genetic algorithm for gene selection. *Pattern Recognition Archive* 40(11), 3236–3248 (2007)
954. Zacharias, C.R., Lemes, M.R., Pino, A.D.: Combining genetic algorithm and simulated annealing: a molecular geometry optimization study. *Journal of Molecular Structure: THEOCHEM* 430, 29–39 (1998)
955. Zhang, Q., Li, H.: MOEA/D: A multi-objective evolutionary algorithm based on decomposition. *IEEE Transactions on Evolutionary Computation* 11(6), 712–731 (2007)
956. Zhang, Q., Sun, J., Tsang, E., Ford, J.: Hybrid estimation of distribution algorithm for global optimisation. *Engineering Computations* 21(1), 91–107 (2004)
957. Zhang, Q., Zhou, A., Jin, Y.: RM-MEDA: A regularity model based multiobjective estimation of distribution algorithm. *IEEE Transactions on Evolutionary Computation* 12(1), 41–63 (2008)
958. Zhang, Y.G., Huang, Y.M., Xie, L.M.: Robot inverse acceleration solution based on hybrid genetic algorithm. In: *International Conference on Machine Learning and Cybernetics*, vol. 4, pp. 2099–2103 (2008)
959. Zhao, X.C.: Advances on protein folding simulations based on the lattice hp models with natural computing. *Applied Soft Computing* 8(2), 1029–1040 (2008)

960. Zheng, H., Wong, A., Nahavandi, S.: Hybrid ant colony algorithm for texture classification. In: [114], pp. 2648–2652 (2003)
961. Zhou, A., Zhang, Q., Jin, Y.: Approximating the set of pareto optimal solutions in both the decision and objective spaces by an estimation of distribution algorithm. *IEEE Transactions on Evolutionary Computation* 13(5), 1167–1189 (2009)
962. Zhou, Z., Ong, Y.S., Lim, M.H., Lee, B.: Memetic algorithms using multi-surrogates for computationally expensive optimization problems. *Journal of Soft Computing* 11(10), 957–971 (2007)
963. Zhou, Z., Ong, Y.S., Nair, P.B., Keane, A.J., Lum, K.Y.: Combining global and local surrogate models to accelerate evolutionary optimization. *IEEE Transactions on Systems, Man, and Cybernetics–Part C* 37(1), 66–76 (2007)
964. Zhu, Z., Ong, Y.S.: Memetic algorithms for feature selection on microarray data. In: Liu, D., Fei, S., Hou, Z.-G., Zhang, H., Sun, C. (eds.) *ISNN 2007*. LNCS, vol. 4491, pp. 1327–1335. Springer, Heidelberg (2007)
965. Zhu, Z., Ong, Y.S., Dash, M.: Wrapper-filter feature selection algorithm using a memetic framework. *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 37(1), 70–76 (2007)
966. Zhu, Z., Jia, S., Ji, Z.: Towards a memetic feature selection paradigm. *Computational Intelligence Magazine* 5, 41–53 (2010)
967. Zitzler, E., Künzli, S.: Indicator-based selection in multiobjective search. In: Yao, X., Burke, E.K., Lozano, J.A., Smith, J., Merelo-Guervós, J.J., Bullnaria, J.A., Rowe, J.E., Tiño, P., Kabán, A., Schwefel, H.-P. (eds.) *PPSN 2004*. LNCS, vol. 3242, pp. 832–842. Springer, Heidelberg (2004)
968. Zitzler, E., Laumanns, M., Thiele, L.: SPEA2: Improving the strength pareto evolutionary algorithm for multiobjective optimization. In: *EUROGEN 2001 Evolutionary Methods for Design, Optimisation and Control with Applications to Industrial Problems*, pp. 12–21 (2001)
969. Zitzler, E., Thiele, L., Laumanns, M., Fonseca, C., Grunert da Fonseca, V.: Performance assesment of multiobjective optimizers: an analysis and review. *IEEE Transactions on Evolutionary Computation* 7(2), 117–132 (2003)
970. Zitzler, E., Knowles, J., Thiele, L.: Quality assessment of pareto set approximations. In: [84], pp. 373–404 (2008)
971. Zitzler, E., Deb, K., Thiele, L., Coello Coello, C.A., Corne, D.W. (eds.): *EMO 2001*. LNCS, vol. 1993. Springer, Heidelberg (2001)
972. Zou, L., Zhu, S., He, B.: Spatio-temporal EEG dipole estimation by means of a hybrid genetic algorithm. In: *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, vol. 2, pp. 4436–4439. IEEE Press, Los Alamitos (2004)

Author Index

- Berretta, Regina 261
- Caponio, Andrea 241
- Cotta, Carlos 3, 29, 43, 121, 189, 261
- de Oca, Marco A. Montes 29
- Eiben, Ágoston E. 9
- Gallardo, José E. 189
- Hao, Jin-Kao 73
- Ishibuchi, Hisao 201
- Jaszkiewicz, Andrzej 201
- Leiva, Antonio J. Fernández 189
- Merz, Peter 95
- Moscato, Pablo 261, 275
- Neri, Ferrante 3, 29, 43, 121, 153, 241
- Ray, Tapabrata 135
- Sarker, Ruhul 135
- Smith, James E. 9, 167
- Sudholt, Dirk 55
- Tenne, Yoel 219
- Zhang, Qingfu 201

Subject Index

- ($\mu+\lambda$) MA 67
- acronyms, list of XXIII
- allele 13
- alternative representation 140
- ant colony optimization 268
- anytime behaviour 19
- applications 50
- approximated objective functions 220
- arity 15

- backtracking 192
- balance of global and local search 55–72
- Baldwinian learning 228, 270
- basin of attraction 123
- beam search 196
- beta distribution 162
- binary quadratic programming 111–118
- bioinformatics 261–271, 303
 - cell models 270
 - clustering 264–265
 - conformational analysis 268
 - consensus tree 267
 - DNA sequencing 269
 - feature selection 265–266
 - filter vs wrapper methods 265
 - gene ordering 264
 - gene regulatory networks 270
 - ligand docking 269
 - microarray analysis 262–266
 - molecular design 268–269
 - molecular signature 263
 - phylogenetic trees 197
 - phylogeny 266–267
 - maximum parsimony 89, 267
 - ultrametric tree 266, 304
 - polymerase chain reaction 269
 - protein alignment 268
 - protein structure analysis 267–268
 - protein structure prediction 192, 267
 - HP model 268
 - sequence alignment 269
 - sequence analysis 269–270
 - shortest common supersequence 270
 - systems biology 270–271
- biomedicine 262
 - drug therapy scheduling 262
 - radiotherapy 262
 - tomography 262
- Boltzmann machine 279
- branch and bound 51, 190, 195, 267
- branch and cut 51, 109, 190, 195, 196
- branchwidth 300
- breeder genetic algorithm 156
- brute force 124
- bucket elimination 194
 - mini-buckets 198, 199

- candidate solution 13
- CHC 126
 - pseudocode 127
- Checkers algorithm 232
- child 15
- chromosome 13
- CMA-ES 41
- co-evolution 51
- coevolving MA 167
- combinatorial local search 33

- combinatorial optimization 96
- complete techniques 51, 190
 - approximation algorithms 190
 - exact algorithms 190
- complexity 5
 - class 5
 - intractability of local search 63–66
 - polynomial hierarchy 5
 - reduction 5
- conjugate directions 39
- constrained optimization 135–151
 - benchmark 145
 - weighted constraint satisfaction problem 194, 197
- continuous optimization 121–134, 199
 - local optimum 31
- continuous space
 - dense set 121
 - optimization problem 122
- control systems 255
- conventional representation 138
- covariance matrix adaptation evolution
 - strategy, 126
- crossover 16
- crossover hill climbing, *see* recombination, hill climbing
- Davidon-Fletcher-Powell method 40
- decision space 4
- decoding 13
- dedication V, VII
- differential evolution 129–131, 270
 - mutation variants 130
 - pseudocode 131
- discrete optimization 73–94
- Distance-Based information Preservation
 - Crossover, 90
- diversity 14, 83, 153–165
 - χ measure 159
 - v measure 158
 - ϕ measure 160
 - ψ measure 159, 231
 - τ_3 measure 161
 - ξ measure 158, 257
 - adaptive local search 155
 - beta distribution 162
 - crossover 155
 - entropy 49
 - exponential distribution 163
 - fitness diversity 157
 - local search 155
 - multi-search 156
 - natura non facit saltus 162
 - self-adaptation 155
 - structured population 154
 - truncation selection 154
- domain decomposition 282
- dominance 203
- dynamic programming 190, 194
- Dynasearch 193
- encoding 13
- engineering and design 241
 - aerodynamic design 251, 253, 254
 - antenna 247
 - electrical and electronic engineering 247
 - electric motors 248
 - electromagnetism 250
 - network applications 250
 - power systems 248
- electroencephalogram 252
- filter design 251
- frequency modulation 246
- image processing 243
 - forensic objects 244
 - image registration 244
 - tomography 244
- Internet applications 247
- radar design 246
- radio frequency assignment 246
- seismic analysis 251
- telecommunications 254
- thermal generator 251
- engineering applications 241–260
- environmental selection 17
- epistasis 45
- estimation of distribution 126
- evaluation function 14
- evaluation mechanism
 - aggregation function 207
 - dominance 206
- evolution strategy 48, 124–125
 - uncorrelated mutation 125
- evolutionary algorithm 9–27
 - Infeasibility Driven Evolutionary Algorithm, 142
 - real coded 125

- exploitation 18
- exploration 18
- exponential distribution 163
- exponential time 62
- fitness function 14
- fitness landscape 45, 95–119, 171 208, 285
 - basin of attraction 45
 - distance 49
 - distribution of local optima 50
 - fitness distance correlation 101–103, 298
 - multiobjective 208
 - plateau 35
 - random walk correlation 100
- forma analysis 33, 82, 193, 296
- Full Employment Theorem 46
- fully polynomial time approximation scheme 299
- gene 13
- genetic algorithm 283
- genotype space 13
- genotypes 13
- global optimization 123–131
- gradient 122
- graph coloring problems 87
- GSAT 35
- Hessian matrix 4
- hill climbing 34–35
 - crossover 133
 - plateau 35
- Hooke-Jeeves pattern search 230
- Hopfield network 279
- hybridization 189, 288
 - collaborative models 192, 195–199
 - exact techniques 189
 - integrative models 192–195
 - multilevel model 197
 - taxonomy 191–192
 - with backtracking 192
 - with beam search 196, 198, 270
 - with branch and bound 195
 - with branch and cut 195, 196
 - with evolution strategy 270
 - with hill climbing 270
 - with Hooke-Jeeves method 231
 - with simulated annealing 231, 269, 284
- hyperheuristics 51
- ideal objective vector 204
- IEMA 144
- individual 13
- infeasibility
 - Infeasibility Driven Evolutionary Algorithm, 142
 - Infeasibility Empowered Memetic Algorithm 144
- initialization 17
- innovative recombination 116
- Ising bond 282
- iterated local search 98
- job-shop scheduling problem 147
- Kauffman 101
- knapsack problem 194, 196, 197
- Kriging function 221
- L-Systems 294
- lagrangean relaxation 193
- Lagrangian interpolation 221
- Lamarckianism
 - partial 194
- Lin-Kernighan heuristic 49, 109, 298
- linear programming 109
- local branching 193
- local optimum 123
- local search 29–41, 48, 67, 78
 - 2-opt 50
 - classification 31
 - continuous domains 36–41
 - classification 37
 - depth 67
 - frequency 69
 - golden section search 270
 - greedy 32
 - iterated 98
 - iterated local search 109
- Lin-Kernighan heuristic 49, 109, 298
- local optimum 31
- parameterized complexity 303
- parameters 50
- partial lamarckianism 50
- single vs multiple solution 32
- single-solution metaheuristics 33

- Solis-Wets 269
- steepest ascent 32
- stochastic vs deterministic 31
- locus 13

- Markov blanket 265
- mating selection 15
- MAX-SAT problem 35, 195
- maximum density still life problem 194, 199
- maximum leaf spanning tree 301
- maximum satisfiability 174
- membrane computing 271
- meme 175
- memetic algorithm
 - adaptive 51
 - adaptive global-local 231
 - co-evolution 51, 170–173
 - combination with exact techniques 51
 - combinatorial optimization 95
 - complete 306
 - continuous optimization 131
 - design 49–50
 - discrete local search 77
 - discrete optimization 74
 - fast adaptive 255, 257–258
 - history 275–309
 - Infeasibility Empowered Memetic Algorithm 144
 - initial population 47
 - local search 48
 - meta-lamarckian learning 51
 - metalamarckian 168
 - multimeme 51, 168, 268
 - multiobjective 50, 205–216
 - need 44–46
 - origins 275
 - parallel 285
 - Pareto archived evolution strategy 210
 - performance measure 77
 - philosophy 44, 98
 - replacement 48
 - reproduction 48
 - restart 49
 - self-adaptive 268
 - self-generating 168
 - template 46–49
 - termination 47
- memetic computing 51
- metaheuristics 6–7
- microarray analysis 262–266
- minimum spanning tree 264
- multi-layer perceptron network 231
- multiobjective
 - aggregation function 204
 - archive of Pareto solutions 209
 - evolutionary algorithm based on decomposition, 213
 - fitness landscape 208
 - genetic local search 210, 211
 - ideal objective vector 204
 - memetic algorithm 205–216
 - engineering and design 252
 - MOGLS 50
 - MPAES 50
 - nadir objective vector 204
 - Pareto dominance 50, 203
 - Pareto MA 50
 - Pareto optimal solution 203
 - Pareto optimal vector 203
 - strength Pareto evolutionary algorithm 214
 - Tchebycheff approach 205
 - weighted sum approach 204
- multiobjective optimization 201–217
- mutation 15
 - heavy 49
- nadir objective vector 204
- negative assortative mating 156
- neighborhood 30
 - binary 79
 - combination 81
 - design 78
 - exploration 79
 - integer 79
 - permutation 33, 79
- neighborhood generating function 171
- neighborhood structure 45
- neural network
 - approximation 221
 - Hopfield network 279
- NEWUOA 40
- NK-landscape 99–100
- No Free Lunch Theorem 44, 58, 158, 208, 241
- noisy problems, 229

- explicit averaging 230
- implicit averaging 230
- NSGA-II 143, 211
- number partitioning problem 298

- objective function 14
- offspring 15
- operations research 50
- optimization
 - continuous 121–134
 - discrete 73–94
 - presence of uncertainties 219–237
- optimization problem 3
- optimum
 - global 31
 - local 31

- P-systems 270
- parameter tuning 25
- parameterization 55–72
- parameterized complexity 6, 190, 299–303, 305–309
 - fixed-parameter tractable 6, 190, 303
 - local search 303
 - reduction rules 301
- parent 15
- parent selection 15
- Pareto dominance 203
- Pareto optimal solution 203
- Pareto optimal solutions
 - archive 209
- Pareto optimal vector 203
- particle swarm optimization 41, 127–129
 - pseudocode 129
 - variants 128
 - velocity update, 128
- path relinking 266
- permanent magnet synchronous motor 255
- permutation
 - neighborhood 33
- phenotype 13
- phenotype space 13
- polynomial local search 168
- polynomial time 5, 62
- polynomial time approximation scheme 109, 190
- population 14
 - initialization 47
 - management 50
 - spatial structure 154, 284
- population-based 12
- Powell's algorithm 32, 39
- predictive gradient 235
- premature convergence 18, 48
- prize-collecting Steiner tree problem 195
- progressive neighborhood search 91

- quadratic approximation 220
- quadratic programming
 - binary 111–118
 - sequential 144

- radial basis function 221
- random walk 124
- real coded evolutionary algorithms 125
- Rec-I-DCM3 267
- recombination 16
 - BLX- α 126
 - DPX 49
 - dynamically optimal recombination 193
 - hill climbing 133, 199
 - optimal discrete 134
 - parent centric 126
 - PCX- α 126
- replacement 17, 48
- reproduction 48
- representation 13
 - alternative 140
 - conventional 138
 - non orthogonal 33
 - orthogonal 33
- restart 49
 - heavy mutation 49
 - random immigrant strategy 49
- robust design 224

- S-systems 270
- saddle point 5
- scatter search 266
- self-adaptation 167–188
 - meme coordination 176
 - meme definition 176
 - specific local search 171
- self-adaptive MA 167
- semantic combination operator 81
- sequential quadratic programming 144

- Shannon's entropy 49
- shortest common supersequence
 - problem 197
- Simplex method 32
- simplex method 38, 230
- simulated annealing 35–36, 41, 231, 279
 - cooling schedule 36
- simultaneous perturbation stochastic approximation method 41
- software agent 285
- Solis and Wets' method 41
- Steiner problem 90
- stochastic global search 124
- stop criterion 18
- superpolynomial performance 66
- survivor selection 17
- symbols, list of XXIII

- tabu search 36, 88, 194, 268, 282
 - aspiration criterion 36
 - tabu list 36
 - tenure 36
- Tchebycheff approach 205
- termination condition 18, 47
- time complexity 61

- time-dependency 232
 - adaptive dual mapping 236
 - triggered immigrants 236
- trap function 176
- travelling salesman problem 33, 49, 100, 105–111, 116, 193, 196, 279
 - 2-opt 50
 - Lin-Kernighan heuristic 49, 109, 298
 - very large instances 109
- treewidth 299, 305
- Trust region 40
- Turing machine 5, 6

- ultrametricity 286
- uncertainties 219–237
- unitation 174
- Unweighted Pair Group Method with Arithmetic Mean, 91

- Vapnik-Chervonenkis dimension 282
- variable neighborhood search 168, 267
- variation operators 15

- Watson's Hierarchical-if-and-only-if 174

- XHC 133